



**lzf**

**TECHNICAL & PRICE BOOK**

2022







---

# CONTENTS

## LZF COLLECTION

---

Suspension lamps	5
Suspension panels	71
Table lamps	75
Floor lamps	91
Wall lamps	101
Life Size	131

## ANNEXES

---



General Sales Conditions	140
Air Freight Reinforcement	142
Recommended Bulbs	143
Reference Explanation	144
Metal Finishes & Components	146
Light Source & Temperature	149
Wood Shade Finishes	150



# **SUSPENSION**

## **lamps**

Agatha	6
Banga	12
Black Note	14
Carambola	16
Candelabro	18
Cuad	20
Dandelion	21
Domo	22
Dune	23
Eris	24
Escape	25
Estela	27
Gea	28
I-Club	31
I-Line	33
Link	35
Link Chain	37
Lola	40
Maruja	42
MiniMikado	43
Nut	44
New Wave	45
Oh!Line	47
Pod	49
Poppy	50
Raindrop	52
Saturnia	54
Spiro	57
Stitches	61
Swirl	63
Tomo	65
Totem	67
X-Club	69

**REF.****PRICE**

ATA SP LED DIM0-10V	990 €
ATA SP LED DIMDALI	1.1120€
ATA SP LED DIMBT	1.220 €

**LIGHT SOURCE**

Class I



120 - 277V: Dimmable 0-10V or DALI

220-240V: Dimmable Bluetooth - BT

**Driver:**

Constant Current 350mA

**LED Integrated:**

Led Module

Energy class A\*

3.000K, CRI&gt;90, 15W, 50-60Hz, 1137 lm\*

Available in 2.700K and 4.000K on request

\*Measurements obtained by theoretical calculations at LZP using ivory white shades. Veneer Ref: 20 Ivory White.

**PACKAGING**

Box Size: 76 × 76 × 49 cm

Box Volume: 0,28 m<sup>3</sup>

Weight: Gross - 7,9 Kg | Net - 2,6 Kg

**MATERIALS & COMPONENTS**

Wood Veneer Shade

Nickel Metal Canopy:











ø 17 cm - DIM0-10V &amp; BT



ø 23 cm - DALI

Steel Cable: 2,5 m drop

Transparent Electrical Cable: 2,5 m drop

**FINISHES****WOOD VENEER**

	20 Ivory White		26 Red
	21 Natural Cherry		28 Blue
	22 Natural Beech		29 Grey
	24 Yellow		33 Pale Rose
	25 Orange		34 Sea Blue

**REF.**

ATA SP

**PRICE**

620 €

**LIGHT SOURCE**

Class I



220 - 250V

E27 Lamp Holder

Recommended Bulb - Not Included  
 LED Globe DIM 12 W, 620 lm\*  
 Energy Class A

\*Measurements obtained by theoretical calculations at LZP using ivory white shades & recommended bulbs.  
 Veneer Ref: 20 Ivory White.

**PACKAGING**

Box Size: 76 x 76 x 49 cm

Box Volume: 0,28 m<sup>3</sup>

Weight: Gross - 7,1 Kg | Net - 2,1 Kg

**MATERIALS & COMPONENTS**











Wood Veneer Shade



Nickel Metal Canopy: ø 8 cm

Steel Cable: 2,5 m drop

Transparent Electrical Cable: 2,5 m drop

**FINISHES****WOOD VENEER**

- |   |                   |  |              |
|---|-------------------|--|--------------|
|  | 20 Ivory White    |  | 26 Red       |
|  | 21 Natural Cherry |  | 28 Blue      |
|  | 22 Natural Beech  |  | 29 Grey      |
|  | 24 Yellow         |  | 33 Pale Rose |
|  | 25 Orange         |  | 34 Sea Blue  |



**REF.**

**PRICE**

ATA SB LED DIM0-10V	1.610 €
ATA SB LED DIMDALI	1.740 €
ATA SB LED DIMBT	1.740 €

**MATERIALS & COMPONENTS**


Wood Veneer Shade

Nickel Metal Canopy:  
 ø 17 cm - DIM0-10V & BT  
 ø 23 cm - DALI

Steel Cable: 2,5 m drop

Transparent Electrical Cable: 2,5 m drop

**LIGHT SOURCE**

Class I 

120 - 277V: Dimmable 0-10V or DALI  
 220-240V: Dimmable Bluetooth - BT

Driver:  
 Constant Current 700mA






LED Integrated:  
 Led Module  
 Energy class A\*

3.000K, CRI>90, 30W, 50-60Hz, 2274 lm\*  
 Available in 2.700K and 4.000K on request

\*Measurements obtained by theoretical calculations at LZP using ivory white shades. Veneer Ref: 20 Ivory White.

**FINISHES**

**WOOD VENEER**



-  20 Ivory White
-  25 Orange
-  22 Natural Beech
-  33 Pale Rose
-  24 Yellow

**PACKAGING**

Box Size: 76 x 76 x 77 cm - Internally reinforced

Box Volume: 0,44 m<sup>3</sup>

Weight: Gross - 9,7 Kg | Net - 4,3 Kg

**REF.**

ATA SB

**PRICE**

1.240 €

**LIGHT SOURCE**

Class I



220 - 250V

E27 Lamp Holder

Recommended Bulbs - Not Included  
 6 LED Spherical DIM 11 W, 2700 lm\*  
 Energy Class A\*

\*Measurements obtained by theoretical calculations at LZP using ivory white shades & recommended bulbs.  
 Veneer Ref: 20 Ivory White.

**PACKAGING**

Box Size: 76 × 76 × 77 cm - Internally reinforced

Box Volume: 0,44 m<sup>3</sup>

Weight: Gross - 15,8 Kg | Net - 3,6 Kg

**MATERIALS & COMPONENTS**






Wood Veneer Shade



Nickel Metal Canopy: ø 8 cm

Steel Cable: 2,5 m drop

Transparent Electrical Cable: 2,5 m drop

**FINISHES****WOOD VENEER**

- |   |                  |  |              |
|---|------------------|--|--------------|
|  | 20 Ivory White   |  | 25 Orange    |
|  | 22 Natural Beech |  | 33 Pale Rose |
|  | 24 Yellow        |  |              |



**REF.**

**PRICE**


ATA SG LED DIM	1.810 €
ATA SG LED DIMDALI	1.910 €
ATA SG LED DIMBT	2.000 €

**MATERIALS & COMPONENTS**

Wood Veneer Shade

Nickel Metal Canopy:  
 ø 17 cm - DIM0-10V & BT  
 ø 23 cm - DALI

**LIGHT SOURCE**

Class I 

120 - 277V: Dimmable 0-10V or DALI  
 220-240V: Dimmable Bluetooth - BT

Steel Cable: 2,5 m drop

Transparent Electrical Cable: 2,5 m drop

**Driver:**

Constant Current 1400mA

**LED Integrated:**

Led Module  
 Energy class A\*

3.000K, CRI>90, 52W, 50-60Hz, 2860 lm\*  
 Available in 2.700K and 4.000K on request

\*Measurements obtained by theoretical calculations at LZF using ivory white shades. Veneer Ref: 20 Ivory White.

**FINISHES**

**WOOD VENEER**



- 20 Ivory White
- 26 Red
- 21 Natural Cherry
- 28 Blue
- 22 Natural Beech
- 29 Grey
- 24 Yellow
- 33 Pale Rose
- 25 Orange
- 34 Sea Blue

**PACKAGING**

Box Size: 118 x 114 x 106 cm - Wood crated for transport

Box Volume: 1,43 m³

Weight: Gross -50 Kg | Net - 7 Kg

**REF.**

ATA SG

**PRICE**

1.500 €

**LIGHT SOURCE**

Class I



220 - 250V

E27 Lamp Holder

Recommended Bulbs - Not Included  
 LED Globe DIM 12 W, 1860 lm\*  
 Energy Class A

\*Measurements obtained by theoretical calculations at LZP using ivory white shades & recommended bulbs.  
 Veneer Ref: 20 Ivory White.

**PACKAGING**

Box Size: 118 × 114 × 106 cm - Wood crated for transport

Box Volume: 1,43 m<sup>3</sup>

Weight: Gross -49,5 Kg | Net - 6,5 Kg

**MATERIALS & COMPONENTS**





Wood Veneer Shade



Nickel Metal Canopy: ø 8 cm

Steel Cable: 2,5 m drop

Transparent Electrical Cable: 2,5 m drop

**FINISHES****WOOD VENEER**

- |   |                   |  |              |
|---|-------------------|--|--------------|
|  | 20 Ivory White    |  | 26 Red       |
|  | 21 Natural Cherry |  | 28 Blue      |
|  | 22 Natural Beech  |  | 29 Grey      |
|  | 24 Yellow         |  | 33 Pale Rose |
|  | 25 Orange         |  | 34 Sea Blue  |



**REF.**

**PRICE**

BNGA SM LED DIM0-10V	2.330 €
BNGA SM LED DIMDALI	2.420 €
BNGA SM LED DIMBT	2.520 €

**MATERIALS & COMPONENTS**

Wood Veneer Shade

Matt Satin Acrylic Diffuser

Black Metal Structure & Canopy: ø 23 cm

3 Black Steel Cables: 2,5 m drop

Black Electrical Cable: 2,5 m drop

**LIGHT SOURCE**

Class I

120 - 277V: Dimmable 0-10V & DALI  
220-240V: Dimmable Bluetooth - BT

**Driver:**

Constant Current 900mA

**LED Integrated:**

Led Module  
Energy class A\*

3.000K, CRI>90, 32W, 50-60Hz, 1461 lm\*  
Available in 2.700K and 4.000K on request

\*Measurements obtained by photometric laboratory tests using ivory white shades. Veneer Ref: 20 Ivory White.

**FINISHES**

**WOOD VENEER**



- 20 Ivory White
- 26 Red
- 21 Natural Cherry
- 28 Blue
- 22 Natural Beech
- 29 Grey
- 24 Yellow
- 33 Pale Rose
- 25 Orange
- 34 Sea Blue

**PACKAGING**

Box Size: 110 x 107 x 50 cm - Wood crated for transport

Box Volume: 0,59 m³

Weight: Gross - 40 Kg | Net - 5,2 Kg




**REF.**

**PRICE**

BNGA SG LED DIM0-10V	2.460 €
BNGA SG LED DIMDALI	2.540 €
BNGA SG LED DIMBT	2.650 €

**LIGHT SOURCE**

Class I 

**120 - 277V:** Dimmable 0-10V & DALI  
**220-240V:** Dimmable Bluetooth - BT

**Driver:**  
 Constant Current 1400mA

**LED Integrated:**  
 Led Module  
 Energy class A\*

3.000K, CRI>90, 52W, 50-60Hz, 2547 lm\*  
 Available in 2.700K and 4.000K on request

\*Measurements obtained by photometric laboratory tests using ivory white shades. Veneer Ref: 20 Ivory White.

**PACKAGING**

Box Size: 139 × 38 × 148 cm - Wood crated for transport

Box Volume: 0,78 m<sup>3</sup>

Weight: Gross - 47,9 Kg | Net - 6,9 Kg

**MATERIALS & COMPONENTS**

Wood Veneer Shade

Matt Satin Acrylic Diffuser











Black Metal Structure & Canopy: ø 23 cm



3 Black Steel Cables: 2,5 m drop

Black Electrical Cable: 2,5 m drop

**FINISHES**

**WOOD VENEER**

- |   |   |
|---|---|
|  20 Ivory White    |  26 Red       |
|  21 Natural Cherry |  28 Blue      |
|  22 Natural Beech  |  29 Grey      |
|  24 Yellow         |  33 Pale Rose |
|  25 Orange         |  34 Sea Blue  |



REF.	PRICE
BKNT KS S BK LED DIM0-10V	2.540 €
BKNT KS S BK LED DIMDALI	2.640 €
BKNT KS S BK LED DIMBT	2.910 €
BKNT KS S IV LED DIM0-10V	2.660 €
BKNT KS S IV LED DIMDALI	2.700 €
BKNT KS S IV LED DIMBT	3.030 €

REF.	PRICE
BKNT KS S NI LED DIM0-10V	3.170 €
BKNT KS S NI LED DIMDALI	3.270 €
BKNT KS S NI LED DIMBT	3.540 €
BKNT KS S GD LED DIM0-10V	3.180 €
BKNT KS S GD LED DIMDALI	3.280 €
BKNT KS S GD LED DIMBT	3.560 €

**LIGHT SOURCE**

Class I

Dual Circuit - DC: Enables independent dimming and control of the decorative wood shades and the tech downlight.

120 - 277V: Dimmable 0-10V or DALI  
 220-240V: Dimmable Bluetooth - BT

**Driver:**  
 Constant Current 900mA (shades & downlight)

**LED Integrated:**  
 Led module  
 Energy class A\*

3.000K, CRI>90, 80W, 50-60Hz, 1949 lm\*  
 Available in 2.700K and 4.000K on request

\*Measurements obtained by photometric laboratory tests using ivory white shades. Veneer Ref: 20 Ivory White.

**PACKAGING**

Box Size: 154 x 54 x 11 cm

Box Volume: 0,1 m<sup>3</sup>

Weight: Gross - 12,6 Kg | Net - 8,4 Kg

**MATERIALS & COMPONENTS**

8 Wood Veneer Shades

Metal Structure & Canopy

4 Electrified Black Steel Cables: 2,5m drop



**FINISHES**

**WOOD VENEER**

- 20 Ivory White
- 22 Natural Beech
- 21 Natural Cherry
- 29 Grey

**METAL**

- BK-Matt Black
- NI-Matt Nickel
- IV-Matt Ivory
- GD-Gold



REF.	PRICE
BKNT TR S BK LED DIM0-10V	990 €
BKNT TR S BK LED DIMDALI	1.070 €
BKNT TR S BK LED DIMBT	1.190 €
BKNT TR S IV LED DIM0-10V	990 €
BKNT TR S IV LED DIMDALI	1.070 €
BKNT TR S IV LED DIMBT	1.190 €

REF.	PRICE
BKNT TR S NI LED DIM0-10V	1.090 €
BKNT TR S NI LED DIMDALI	1.270 €
BKNT TR S NI LED DIMBT	1.390 €
BKNT TR S GD LED DIM0-10V	1.190 €
BKNT TR S GD LED DIMDALI	1.270 €
BKNT TR S GD LED DIMBT	1.390 €

**LIGHT SOURCE**

Class I



120 - 277V: Dimmable 0-10V or DALI  
 220-240V: Dimmable Bluetooth - BT

**Driver:**

Constant Current 1400mA

**LED Integrated:**

Led module  
 Energy class A\*

3.000K, CRI>90, 32W, 50-60Hz, 913,7 lm\*  
 Available in 2.700K and 4.000K on request

\*Measurements obtained by photometric laboratory tests using ivory white shades. Veneer Ref: 20 Ivory White.

**PACKAGING**

Box Size: 103 x 32 x 11 cm

Box Volume: 0,04 m<sup>3</sup>

Weight: Gross - 4,4 Kg | Net - 3 Kg

**MATERIALS & COMPONENTS**

3 Wood Veneer Shades

Metal Structure & Canopy

Electrical Cable: 2,5 m drop



**FINISHES**

**WOOD VENEER**

- 20 Ivory White
- 22 Natural Beech
- 21 Natural Cherry
- 29 Grey

**METAL & CABLE**

- BK-Matt Black & Black Cable
- IV-Matt Ivory & White Cable
- NI-Matt Nickel & Transparent Cable
- GD-Gold & Black Cable



**REF.**

**PRICE**

CAR SP LED DIM0-10V	870 €
CAR SP LED DIMDALI	970 €
CAR SP LED DIMBT	1.070 €

**MATERIALS & COMPONENTS**

Wood Veneer Shade

Matt Satin Acrylic Diffuser

Brushed Nickel Metal Trims & Canopy:  
ø 17 cm - DIM0-10V & BT  
ø 23 cm - DALI

Steel Cable: 2,5 m drop

Transparent Electrical Cable: 2,5 m drop

**LIGHT SOURCE**

Class I



120 - 277V: Dimmable 0-10V or DALI  
220-240V: Dimmable Bluetooth - BT

**Driver:**

Constant Current 700mA

**LED Integrated:**

Led module  
Energy class A<sup>+</sup>

3.000K, CRI>90, 25W, 50-60Hz, 1462 lm\*  
Available in 2.700K and 4.000K on request

\*Measurements obtained by theoretical calculations at LZF using ivory white shades. Veneer Ref: 20 Ivory White.

**PACKAGING**

Box Size: 41 x 41 x 48 cm



Box Volume: 0,08 m<sup>3</sup>

Weight: Gross - 4,7 Kg | Net - 2,9 Kg

**FINISHES**

**WOOD VENEER**

- 20 Ivory White
- 26 Red
- 21 Natural Cherry
- 28 Blue
- 22 Natural Beech
- 29 Grey
- 24 Yellow
- 33 Pale Rose
- 25 Orange
- 34 Sea Blue

**REF.****PRICE**

CAR SM LED DIMO-10V	1.330 €
CAR SM LED DIMDALI	1.440 €
CAR SM LED DIMBT	1.530 €

**LIGHT SOURCE**

Class I



120 - 277V: Dimmable 0-10V or DALI

220-240V: Dimmable Bluetooth - BT

**Driver:**

Constant Current 1100mA

**LED Integrated:**

Led module

Energy class A\*

3.000K, CRI&gt;90, 32W, 50-60H, 1758 lm\*

Available in 2.700K and 4.000K on request

\*Measurements obtained by theoretical calculations at LZF using ivory white shades. Veneer Ref: 20 Ivory White.

**PACKAGING**

Box Size: 74 x 71 x 76 cm

Box Volume: 0,40 m<sup>3</sup>

Weight: Gross - 28,7 Kg | Net - 4,8 Kg

**MATERIALS & COMPONENTS**

Wood Veneer Shade

Matt Satin Acrylic Diffuser

Brushed Nickel Metal Trims &amp; Canopy:





ø 17 cm - DIMO-10V &amp; BT



ø 23 cm - DALI

Steel Cable: 2,5 m drop

Transparent Electrical Cable: 2,5 m drop

**FINISHES****WOOD VENEER**

	20 Ivory White		26 Red
	21 Natural Cherry		28 Blue
	22 Natural Beech		29 Grey
	24 Yellow		33 Pale Rose
	25 Orange		34 Sea Blue

**REF.****PRICE**

CLBO 15 TOT3 LED DIM GB	23.670 €
CLBO 15 TOT3 LED DIM WB	23.560 €

**LIGHT SOURCE**

Class I



220-250V

**3 Circuits:** 3 Independent Dimmable Circuits. Dimming & Control of the Central Shade, Periferal Shades & Soptlights.

**Circuit 1**

4 Spotlights GU10 - LED DIM 4 x 3,7 W

**Circuit 2**1 TOT3 S LED **Driver:** Constant Current 900mA

**LED Integrated:**  
Led module

**Circuit 3**

3 ATA SP	3 x Bulbs E27 - LED Globe DIM 16 W
2 MMIK S	2 x Bulbs E27 - LED Mini Globe DIM 7 W
1 POD SP	1 x Bulb E27 - LED Spherical DIM 11 W
1 POD SM	1 x Bulb E27 - LED Spherical DIM 11 W
1 POPY SP	1 x Bulb E27 - LED Spherical DIM 11 W
4 RDROP SM	4 x Bulbs G9 - LED DIM 3 W
2 RDROP SG	2 x Bulbs G9 - LED DIM 3 W

Energy class A+ - Bulbs included

**MATERIALS & COMPONENTS**

15 Wood Veneer Shades  
Shade mount required

White Laquered Wood Canopy

6 Ceramic Birds in Gold - GB or White Glaze - WB

Electrical & Steel Cables: The measurements have been calculated for a ceiling height of 350 - 400cm. If your ceiling is higher let us know so we can adjust your cable lengths.

**FINISHES****WOOD VENEER**

20 Ivory White





22 Natural Beech

**PACKAGING**

For freight, please consult our offices

Total Volume: 8,4 m<sup>3</sup>

Total Weight: Gross - 394 Kg | Net - 141,9 Kg

**REF.**

CLBO 15 TOT4 LED DIM GB  
CLBO 15 TOT4 LED DIM WB

**PRICE**

24.890 €  
23.560 €

**LIGHT SOURCE**

Class I



220-250V

**3 Circuits:** 3 Independent Dimmable Circuits. Dimming & Control of the Central Shade, Periferal Shades & Soptlights.

**Circuit 1**

4 Spotlights GU10 - LED DIM 4 x 3,7 W

**Circuit 2**

1 TOT4 S LED **Driver:** Constant Current 900mA

**LED Integrated:**  
Led module

**Circuit 3**

3 ATA SP 3 x Bulbs E27 - LED Globe DIM 16 W  
2 MMIK S 2 x Bulbs E27 - LED Mini Globe DIM 7 W  
1 POD SP 1 x Bulb E27 - LED Spherical DIM 11 W  
1 POD SM 1 x Bulb E27 - LED Spherical DIM 11 W  
1 POPY SP 1 x Bulb E27 - LED Spherical DIM 11 W  
4 RDROP SM 4 x Bulbs G9 - LED DIM 3 W  
2 RDROP SG 2 x Bulbs G9 - LED DIM 3 W

Energy class A+ - Bulbs included

**MATERIALS & COMPONENTS**


15 Wood Veneer Shades  
Shade mount required


White Laquered Wood Canopy

6 Ceramic Birds in Gold - GB or White Glaze - WB

Electrical & Steel Cables: The measurements have been calculated for a ceiling height of 350 - 400 cm. If your ceiling is higher let us know so we can adjust your cable lengths.

**FINISHES****WOOD VENEER**

 20 Ivory White



 22 Natural Beech

**PACKAGING**

For freight, please consult our offices

Total Volume: 8,4 m<sup>3</sup>

Total Weight: Gross - 405 Kg | Net - 143,1 Kg




**REF.**

**PRICE**

CUAD SM LED DIM0-10V	1.860 €
CUAD SM LED DIMDALI	1.990 €
CUAD SM LED DIMBT	1.990 €

**LIGHT SOURCE**

Class I 

**120 - 277V:** Dimmable 0-10V or DALI  
**220-240V:** Dimmable Bluetooth - BT

**Driver:**

Constant Current 1400mA

**LED Integrated:**

Led module  
 Energy class A<sup>+</sup>

3.000K, CRI>90, 50W, 50-60Hz, 3687 lm\*  
 Available in 2.700K and 4.000K on request

\*Measurements obtained by photometric laboratory tests using ivory white shades. Veneer Ref: 20 Ivory White.

**PACKAGING**

Box Size: 88 × 88 × 34 cm

Box Volume: 0,26 m<sup>3</sup>

Weight: Gross - 15 Kg | Net - 7,5 Kg

**MATERIALS & COMPONENTS**

Wood Veneer Shade

White Top Diffuser

Black is available if you want no upward light diffusion

Matt Satin Acrylic Bottom Diffuser











Nickel Metal Canopy: 34 × 11 × 5 cm



4 Steel Cables: 2,5 m drop

Transparent Electrical Cable: 2,5 m drop

**FINISHES**

**WOOD VENEER**

- |   |  |
|---|--|
|  20 Ivory White    |  26 Red       |
|  21 Natural Cherry |  28 Blue      |
|  22 Natural Beech  |  29 Grey      |
|  24 Yellow         |  33 Pale Rose |
|  25 Orange         |  34 Sea Blue  |

**REF.**

DDLN S LED DIM0-10V  
DDLN S LED DIMDALI  
DDLN S LED DIMBT

**PRICE**

5.010 €  
5.190 €  
5.290 €

**LIGHT SOURCE**

Class I



120 - 277V: Dimmable 0-10V & DALI  
220-240V: Dimmable Bluetooth - BT

**Driver:**

Constant Current 2000mA

**LED Integrated:**

Led cob  
Energy class A\*

3.000K, CRI>90, 120W, 50-60Hz, 3451 lm\*  
Available in 2.700K and 4.000K on request

\*Measurements obtained by photometric laboratory tests using ivory white shades. Veneer Ref: 20 Ivory White.

**PACKAGING**

Box Size: 67 × 67 × 95 cm

Box Volume: 0,43 m<sup>3</sup>

Weight: Gross - 23 Kg | Net - 13,2 Kg

**MATERIALS & COMPONENTS**

31 Wood Veneer Shade  
Shade mount required

Matt Satin Acrylic Diffusers











Metallic Central Structure



Nickel Metal Canopy: ø 28 cm

3 Steel Cables: 2 m drop

Transparent Electrical Cable: 2 m drop

**FINISHES****WOOD VENEER**

- |   |                   |  |              |
|---|-------------------|--|--------------|
|  | 20 Ivory White    |  | 26 Red       |
|  | 21 Natural Cherry |  | 28 Blue      |
|  | 22 Natural Beech  |  | 29 Grey      |
|  | 24 Yellow         |  | 33 Pale Rose |
|  | 25 Orange         |  | 34 Sea Blue  |



**REF.**

DMO SP

**PRICE**

620 €

**LIGHT SOURCE**

Class I



220 - 250V

E27 Lamp Holder

Recommended Bulb - Not Included  
 LED Globe DIM 12 W, 790 lm\*  
 Energy Class A

\*Measurements obtained by theoretical calculations at LZF using ivory white shades & recommended bulbs.  
 Veneer Ref: 20 Ivory White.

**PACKAGING**

Box Size: 51 x 51 x 53 cm - Internally reinforced

Box Volume: 0,14 m<sup>3</sup>

Weight: Gross - 6 Kg | Net - 0,8 Kg

**MATERIALS & COMPONENTS**

Wood Veneer Shade









Nickel Metal Canopy: ø 8 cm


Steel Cable: 2,5 m drop

Transparent Electrical Cable: 2,5 m drop

**FINISHES**

**WOOD VENEER**

- |   |   |
|---|---|
|  20 Ivory White    |  26 Red       |
|  21 Natural Cherry |  28 Blue      |
|  22 Natural Beech  |  29 Grey      |
|  24 Yellow         |  33 Pale Rose |
|  25 Orange         |  34 Sea Blue  |

**REF.****PRICE**

DUNE S 120 LED DIM0-10V	1.550 €
DUNE S 120 LED DIMDALI	1.600 €
DUNE S 120 LED DIMBT	1.740 €

**LIGHT SOURCE**

Class I



120 - 277V: Dimmable 0-10V or DALI

220-240V: Dimmable Bluetooth - BT

**Drivers:**

Constant Current 1400mA

**LED Integrated:**

Led module

Energy class A\*

3.000K, CRI&gt;90, 32W, 50-60Hz, 1278 lm\*

Available in 2.700K and 4.000K on request

\*Measurements obtained by photometric laboratory tests using ivory white shades. Veneer Ref: 20 Ivory White.

**PACKAGING**

Box Size: 130 × 34 × 34 cm

Box Volume: 0,15 m<sup>3</sup>

Weight | Gross: 7,1 Kg | Net: 4 Kg

**MATERIALS & COMPONENTS**

Wood Veneer Shade

Hand Blown Glass: Borosilicate\*

Black Metal Canopy: 35 × 4 × 6,6 cm


Black Coaxial Cable: 2,5 m drop

2 Black Steel Cables: 2,5 m drop

\*Borosilicate glass is highly resistant to thermal shock

**FINISHES****WOOD VENEER**

- |  |                   |  |              |
|--|-------------------|--|--------------|
|  | 20 Ivory White    |  | 30 Turquoise |
|  | 21 Natural Cherry |  | 33 Pale Rose |
|  | 22 Natural Beech  |  | 34 Sea Blue  |

**REF.****PRICE**

ERIS S AL	930 €
ERIS S BK	960 €

**LIGHT SOURCE**

Class I



220-250V

GU10 Lamp Holder

Recommended Bulb - Included  
LED DIM 3,7 W, 178 lm\*  
Energy Class A\*

\*Measurements obtained by theoretical calculations at LZF using ivory white shades. Veneer Ref: 20 Ivory White.

**PACKAGING**

Box size: 54 × 36 × 36 cm

Box volume: 0,07 m<sup>3</sup>

Weight: Gross - 4 Kg | Net - 2 Kg

**MATERIALS & COMPONENTS**

Wood Veneer Shade

Hand Blown Glass: Borosilicate\*

Metal Structure

Black Metal Canopy: ø 8 cm



Black Electrical Cable: 2,5 m drop



\*Borosilicate glass is highly resistant to thermal shock

**FINISHES****WOOD VENEER**

 20 Ivory White	 22 Natural Beech
 21 Natural Cherry	 33 Pale Rose

**ESTRUCTURE**

 AL-Aluminium	 BK-Matt Black
--	---




**REF.**

**PRICE**

SC SP BK	370 €
SC SP WH	370 €
SC SP NI	370 €

**LIGHT SOURCE**

Class I 

220 - 250V

E27 Lamp Holder

Recommended Bulb - Not Included  
LED Globe DIM 12 W, 900 lm\*  
Energy Class A

\*Measurements obtained by theoretical calculations at LZP using ivory white shades & recommended bulbs.  
Veneer Ref: 20 Ivory White.

**PACKAGING**

Box Size: 41 x 41 x 48 cm

Box Volume: 0,08 m<sup>3</sup>

Weight: Gross - 3 Kg | Net - 1 Kg

**MATERIALS & COMPONENTS**

Wood Veneer Shade

Metal Tripod & Canopy: ø 8 cm




Electrical Cable: 2,5 m drop



**FINISHES**

**WOOD VENEER**

- |   |   |
|---|---|
|  20 Ivory White    |  26 Red       |
|  21 Natural Cherry |  28 Blue      |
|  22 Natural Beech  |  29 Grey      |
|  24 Yellow         |  33 Pale Rose |
|  25 Orange         |  34 Sea Blue  |

**CANOPY, CABLE & TRIPOD**

-  BK-Matt Black / Black Cable & Black Tripod
-  WH-Matt White / White Cable & White Tripod
-  NI-Matt Nickel / Transparent Cable & Nickel Tripod




REF.	PRICE
SC SG BK	490 €
SC SG WH	490 €
SC SG NI	490 €

**MATERIALS & COMPONENTS**

Wood Veneer Shade

Metal Tripod & Canopy: ø 8 cm

Electrical Cable: 2,5 m drop

**LIGHT SOURCE** Class I 

220 - 250V











E27 Lamp Holder

Recommended Bulb - Not Included  
LED Globe DIM 12 W, 900 lm\*  
Energy Class A

\*Measurements obtained by theoretical calculations at LZF using ivory white shades & recommended bulbs.  
Veneer Ref: 20 Ivory White.

**FINISHES**

**WOOD VENEER**

-  20 Ivory White
-  26 Red
-  21 Natural Cherry
-  28 Blue
-  22 Natural Beech
-  29 Grey
-  24 Yellow
-  33 Pale Rose
-  25 Orange
-  34 Sea Blue




**PACKAGING**


Box Size: 66 x 66 x 62 cm

Box Volume: 0,27 m<sup>3</sup>

Weight: Gross - 5,3 Kg | Net - 1,2 Kg

**CANOPY, CABLE & TRIPOD**

-  BK-Matt Black / Black Cable & Black Tripod
-  WH-Matt White / White Cable & White Tripod
-  NI-Matt Nickel / Transparent Cable & Nickel Tripod

**REF.**

ESTE S 150 LED DIM0-10V	1.270 €
ESTE S 150 LED DIMDALI	1.320 €
ESTE S 150 LED DIMBT	1.460 €

**PRICE****MATERIALS & COMPONENTS**

Wood Veneer Shade

Hand Blown Glass: Borosilicate\*

Black Metal Canopy: 35 × 4 × 6,6 cm

Black Coaxial Cable: 2,5 m drop

2 Black Steel Cables: 2,5 m drop

\*Borosilicate glass is highly resistant to thermal shock

**LIGHT SOURCE**

Class I

**120 - 277V:** Dimmable 0-10V or DALI**220-240V:** Dimmable Bluetooth - BT**Drivers:**

Constant Current 1400mA

**LED Integrated:**

Led module

Energy class A\*

3.000K, CRI&gt;90, 40W, 50-60Hz, 1492 lm\*

Available in 2.700K and 4.000K on request

\*Measurements obtained by photometric laboratory tests using ivory white shades. Veneer Ref: 20 Ivory White.

**FINISHES****WOOD VENEER**



- 20 Ivory White
- 33 Pale Rose
- 21 Natural Cherry
- 34 Sea Blue
- 22 Natural Beech

**PACKAGING**


Box size: 174 × 22 × 24 cm

Box volume: 0,09 m<sup>3</sup>

Weight: Gross - 8 Kg | Net - 3,4 Kg



REF.	PRICE
GEA SSL LED DIM0-10V	800 €
GEA SSL LED DIMDALI	900 €
GEA SSL LED DIMBT	980 €

**LIGHT SOURCE** Class I 

**120 - 277V:** Dimmable 0-10V or DALI  
**220-240V:** Dimmable Bluetooth - BT

**Driver:**  
 Constant Current 700mA

**LED Integrated:**  
 Led module  
 Energy class A<sup>+</sup>

3.000K, CRI>90, 25W, 50-60Hz, 1866 lm\*  
 Available in 2.700K and 4.000K on request

\*Measurements obtained by photometric laboratory tests using ivory white shades. Veneer Ref: 20 Ivory White.

**PACKAGING**

Box Size: 61 × 61 × 34 cm

Box Volume: 0,13 m<sup>3</sup>

Weight: Gross - 8 Kg | Net - 4,1 Kg

**MATERIALS & COMPONENTS**

Wood Veneer Shade

Black or White Top Diffuser

- White Top Diffuser
- Black is available if you want no upward light diffusion
- Matt Satin Acrylic Bottom Diffuser










Nickel Metal Canopy:  
 ø 17 cm - DIM0-10V & BT  
 ø 23 cm - DALI



3 Steel Cables: 2,5 m drop

Transparent Electrical Cable: 2,5 m drop

**FINISHES**

**WOOD VENEER**

- |   |  |
|---|--|
|  20 Ivory White    |  26 Red       |
|  21 Natural Cherry |  28 Blue      |
|  22 Natural Beech  |  29 Grey      |
|  24 Yellow         |  33 Pale Rose |
|  25 Orange         |  34 Sea Blue  |

**REF.**

GEA SP

**PRICE**

370 €

**LIGHT SOURCE**

Class I



220 - 250V

E27 Lamp Holder

Recommended Bulb - Not Included  
LED Globe DIM 12 W, 730 lm\*  
Energy Class A

\*Measurements obtained by theoretical calculations at LZP using ivory white shades & recommended bulbs.  
Veneer Ref: 20 Ivory White.

**PACKAGING**

Box Size: 51 × 51 × 32 cm

Box Volume: 0,08 m<sup>3</sup>

Weight: Gross - 4,2 Kg | Net - 1,9 Kg

**MATERIALS & COMPONENTS**

Wood Veneer Shade











Matt Satin Acrylic Diffuser



Chrome Metal Tripod

Nickel Metal Canopy: ø 8 cm

Transparent Electrical Cable: 2,5 m drop

**FINISHES****WOOD VENEER**

- |   |                   |  |              |
|---|-------------------|--|--------------|
|  | 20 Ivory White    |  | 26 Red       |
|  | 21 Natural Cherry |  | 28 Blue      |
|  | 22 Natural Beech  |  | 29 Grey      |
|  | 24 Yellow         |  | 33 Pale Rose |
|  | 25 Orange         |  | 34 Sea Blue  |



**REF.**

**PRICE**

GEA SG

620 €

**LIGHT SOURCE**

Class I



220 - 250V

E27 Lamp Holder

Recommended Bulbs - Not Included  
 3 LED Spherical DIM 11 W, 1950 lm\*  
 Energy Class A\*

\*Measurements obtained by theoretical calculations at LZF using ivory white shades & recommended bulbs.  
 Veneer Ref: 20 Ivory White.

**PACKAGING**

Box Size: 79 x 79 x 42 cm

Box Volume: 0,26 m<sup>3</sup>

Weight: Gross - 7,9 Kg | Net - 3,2 Kg

**MATERIALS & COMPONENTS**

Wood Veneer Shade

Matt Satin Acrylic Diffuser

Metal Tripod in Chrome

Nickel Metal Canopy: ø 8 cm



Steel Cable: 2,5 m drop

Transparent Electrical Cable: 2,5 m drop

**FINISHES**

**WOOD VENEER**

- 20 Ivory White
- 26 Red
- 21 Natural Cherry
- 28 Blue
- 22 Natural Beech
- 29 Grey
- 24 Yellow
- 33 Pale Rose
- 25 Orange
- 34 Sea Blue

**REF.****PRICE**

I SSL 120 LED DIM0-10V	1.000 €
I SSL 120 LED DIMDALI	1.100 €
I SSL 120 LED DIMBT	1.220 €

**LIGHT SOURCE**

Class I



120 - 277V: Dimmable 0-10V or DALI

220-240V: Dimmable Bluetooth - BT

**Driver:**

Constant Current 1400mA

**LED Integrated:**

Led module

Energy class A\*

3.000K, CRI&gt;90, 25W, 50-60Hz, 1556 lm\*

Available in 2.700K and 4.000K on request

\*Measurements obtained by theoretical calculations at LZF using ivory white shades. Veneer Ref: 20 Ivory White.

**PACKAGING**

Box Size: 31 x 31 x 152 cm

Box Volume: 0,15 m<sup>3</sup>

Weight: Gross - 7,5 Kg | Net - 3,5 Kg

**MATERIALS & COMPONENTS**

Wood Veneer Shade

Black or White Top Diffuser

- White Top Diffuser

Black is available if you want no upward light diffusion

- Matt Satin Acrylic Bottom Diffuser



Nickel Metal Canopy: 34 x 11,5 x 5 cm

2 Steel Cables: 2,5 m drop


Transparent Electrical Cable: 2,5 m drop

**FINISHES****WOOD VENEER**

	20 Ivory White		26 Red
	21 Natural Cherry		28 Blue
	22 Natural Beech		29 Grey
	24 Yellow		33 Pale Rose
	25 Orange		34 Sea Blue



REF.	PRICE
I SSL 150 LED DIM0-10V	1.240 €
I SSL 150 LED DIMDALI	1.300 €
I SSL 150 LED DIMBT	1.370 €

**LIGHT SOURCE** Class I 

**120 - 277V:** Dimmable 0-10V or DALI  
**220-240V:** Dimmable Bluetooth - BT

**Driver:**  
 Constant Current 1400mA

**LED Integrated:**  
 Led module  
 Energy class A\*

3.000K, CRI>90, 25W, 50-60Hz, 1632 lm\*  
 Available in 2.700K and 4.000K on request

\*Measurements obtained by photometric laboratory tests using ivory white shades. Veneer Ref: 20 Ivory White.

**PACKAGING**

Box Size: 182 x 37 x 25 cm

Box Volume: 0,17 m<sup>3</sup>

Weight: Gross - 11,6 Kg | Net - 4,1 Kg

**MATERIALS & COMPONENTS**

Wood Veneer Shade

Black or White Top Diffuser

- White Top Diffuser
- Black is available if you want no upward light diffusion
- Matt Satin Acrylic Bottom Diffuser









Nickel Metal Canopy: 34 x 11,5 x 5 cm



2 Steel Cables: 2,5 m drop

Transparent Electrical Cable: 2,5 m drop

**FINISHES**

**WOOD VENEER**

- |   |   |
|---|---|
|  20 Ivory White    |  26 Red       |
|  21 Natural Cherry |  28 Blue      |
|  22 Natural Beech  |  29 Grey      |
|  24 Yellow         |  33 Pale Rose |
|  25 Orange         |  34 Sea Blue  |

**REF.**

I-LN S 120 BK LED DIMO-10V	880 €
I-LN S 120 BK LED DIMDALI	980 €
I-LN S 120 BK LED DIMBT	1.250 €
I-LN S 120 WH LED DIMO-10V	880 €
I-LN S 120 WH LED DIMDALI	980 €
I-LN S 120 WH LED DIMBT	1.250 €
I-LN S 120 NI LED DIMO-10V	1.200 €
I-LN S 120 NI LED DIMDALI	1.300 €
I-LN S 120 NI LED DIMBT	1.580 €

**PRICE****MATERIALS & COMPONENTS**

Wood Veneer Shade

Matt Satin Acrylic Bottom Diffuser

Lacquered Metal Upper Cover Plate

Metal Canopy: 60 × 4 × 6,6 cm

2 Black Electrified Cables: 2,5 m drop

**LIGHT SOURCE**

Class I



120 - 277V: Dimmable 0-10V or DALI

220-240V: Dimmable Bluetooth - BT

**Driver:**

Constant Voltage 24V

**LED Integrated:**

Led strip

Energy class A\*

3.000K, CRI&gt;90, 30W, 50-60Hz, 1165 lm\*

Available in 2.700K and 4.000K on request

\*Measurements obtained by photometric laboratory tests using ivory white shades. Veneer Ref: 20 Ivory White.











**PACKAGING**

Box size: 138 × 21 × 24 cm




Box volume: 0,07 m<sup>3</sup>



Weight: Gross - 7,5 Kg | Net - 4,4 Kg

**FINISHES****WOOD VENEER**

 20 Ivory White	 26 Red
 21 Natural Cherry	 28 Blue
 22 Natural Beech	 29 Grey
 24 Yellow	 33 Pale Rose
 25 Orange	 34 Sea Blue

**METAL CANOPY**

 BK-Matt Black	 NI-Matt Nickel
 WH-Matt White	

**REF.****PRICE**

I-LN S 150 BK LED DIM0-10V	930 €
I-LN S 150 BK LED DIMDALI	1.030 €
I-LN S 150 BK LED DIMBT	1.310 €
I-LN S 150 WH LED DIM0-10V	930 €
I-LN S 150 WH LED DIMDALI	1.030 €
I-LN S 150 WH LED DIMBT	1.310 €
I-LN S 150 NI LED DIM0-10V	1.250 €
I-LN S 150 NI LED DIMDALI	1.360 €
I-LN S 150 NI LED DIMBT	1.630 €

**MATERIALS & COMPONENTS**

Wood Veneer Shade

Matt Satin Acrylic Bottom Diffuser

Black Lacquered Metal Upper Cover Plate

Metal Canopy: 60 × 4 × 6,6 cm

2 Black Electrified Cables: 2,5 m drop

**LIGHT SOURCE**

Class I



120 - 277V: Dimmable 0-10V or DALI

220-240V: Dimmable Bluetooth - BT

**Driver:**

Constant Voltage 24V

**LED Integrated:**

Led strip

Energy class A\*

3.000K, CRI&gt;90, 40W, 50-60Hz, 1457 lm\*

Available in 2.700K and 4.000K on request

\*Measurements obtained by photometric laboratory tests using ivory white shades. Veneer Ref: 20 Ivory White.

**PACKAGING**

Box size: 174 × 22 × 24 cm

Box volume: 0,09 m<sup>3</sup>



Weight: Gross - 8 Kg | Net - 4,6 Kg

**FINISHES****WOOD VENEER**

20 Ivory White	26 Red
21 Natural Cherry	28 Blue
22 Natural Beech	29 Grey
24 Yellow	33 Pale Rose
25 Orange	34 Sea Blue

**METAL CANOPY**

BK-Matt Black	NI-Matt Nickel
WH-Matt White	

**REF.****PRICE**

LK SP BK	430 €
LK SP WH	430 €
LK SP NI	430 €

**LIGHT SOURCE**

Class I



220 - 250V

E27 Lamp Holder

Recommended Bulbs - Not Included  
LED Globe DIM 12 W, 960 lm\*  
Energy Class A

\*Measurements obtained by theoretical calculations at LZP using ivory white shades & recommended bulbs.  
Veneer Ref: 20 Ivory White.

**PACKAGING**

Box Size: 51 × 51 × 32 cm

Box Volume: 0,08 m<sup>3</sup>

Weight: Gross - 3,5 Kg | Net - 1 Kg











**MATERIALS & COMPONENTS**

Wood Veneer Shade




Metal Tripod &amp; Canopy: ø 8 cm



Electrical Cable: 2,5 m drop

**FINISHES****WOOD VENEER**

	20 Ivory White		26 Red
	21 Natural Cherry		28 Blue
	22 Natural Beech		29 Grey
	24 Yellow		33 Pale Rose
	25 Orange		34 Sea Blue

**CANOPY, CABLE & TRIPOD**

	BK-Matt Black / Black Cable & Black Tripod
	WH-Matt White / White Cable & White Tripod
	NI-Matt Nickel / Transparent Cable & Nickel Tripod

**REF.****PRICE**

LK SG BK	690 €
LK SG WH	690 €
LK SG NI	690 €

**LIGHT SOURCE**

Class I



220 - 250V

E27 Lamp Holder

Recommended Bulb - Not Included  
LED Globe DIM 12 W, 1015 lm\*  
Energy Class A

\*Measurements obtained by theoretical calculations at LZF using ivory white shades & recommended bulbs.  
Veneer Ref: 20 Ivory White.

**PACKAGING**

Box Size: 79 x 79 x 42 cm

Box Volume: 0,26 m<sup>3</sup>

Weight: Gross - 6,6 Kg | Net - 1,6 Kg

**MATERIALS & COMPONENTS**

Wood Veneer Shade

Metal Tripod &amp; Canopy: ø 8 cm



Electrical Cable: 2,5 m drop

**FINISHES****WOOD VENEER**

20 Ivory White	26 Red
21 Natural Cherry	28 Blue
22 Natural Beech	29 Grey
24 Yellow	33 Pale Rose
25 Orange	34 Sea Blue

**CANOPY, CABLE & TRIPOD**

BK-Matt Black / Black Cable & Black Tripod
WH-Matt White / White Cable & White Tripod
NI-Matt Nickel / Transparent Cable & Nickel Tripod

**REF.**

LK3 S

**PRICE**

1.860 €

**LIGHT SOURCE**

Class I



220 - 250V

E27 Lamp Holder

Recommended Bulbs - Not Included  
 3 LED Globe DIM 12 W, 1860 lm\*  
 Energy Class A

\*Measurements obtained by theoretical calculations at LZF using ivory white shades & recommended bulbs.  
 Veneer Ref: 20 Ivory White.

**PACKAGING**

Box size: 86 × 86 × 160 cm - Wood crated for transport

Box volume: 1,18 m<sup>3</sup>

Weight: Gross - 26,8 Kg | Net - 4,7 Kg

**MATERIALS & COMPONENTS**

Wood Veneer Shade








Black Metal Tripod



Nickel Canopy: ø 12 cm

3 Steel Cable: 2,5 m drop

Transparent Electrical Cable: 2,5 m drop

**FINISHES****WOOD VENEER**

- |   |                   |  |              |
|---|-------------------|--|--------------|
|  | 20 Ivory White    |  | 26 Red       |
|  | 21 Natural Cherry |  | 28 Blue      |
|  | 22 Natural Beech  |  | 29 Grey      |
|  | 24 Yellow         |  | 33 Pale Rose |
|  | 25 Orange         |  | 34 Sea Blue  |

**REF.**

LK4 S

**PRICE**

2.430 €

**LIGHT SOURCE**

Class I



220 - 250V

E27 Lamp Holder

Recommended Bulbs - Not Included  
 4 LED Globe DIM 12 W, 2475 lm\*  
 Energy Class A

\*Measurements obtained by theoretical calculations at LZP using ivory white shades & recommended bulbs.  
 Veneer Ref: 20 Ivory White.

**PACKAGING**

Box size: 86 × 86 × 160 cm - Wood crated for transport

Box volume: 1,18 m<sup>3</sup>

Weight: Gross - 28 Kg | Net - 5,9 Kg

**MATERIALS & COMPONENTS**

Wood Veneer Shade











Black Metal Tripod



Nickel Metal Canopy: ø 12 cm

3 Steel Cable: 2,5 m drop

Transparent Electrical Cable: 2,5 m drop

**FINISHES****WOOD VENEER**

- |   |                   |   |              |
|---|-------------------|---|--------------|
|  | 20 Ivory White    |  | 26 Red       |
|  | 21 Natural Cherry |  | 28 Blue      |
|  | 22 Natural Beech  |  | 29 Grey      |
|  | 24 Yellow         |  | 33 Pale Rose |
|  | 25 Orange         |  | 34 Sea Blue  |

**REF.**

LK6 S

**PRICE**

2.780 €

**LIGHT SOURCE**

Class I



220 - 250V

E27 Lamp Holder

Recommended Bulbs - Not Included  
 6 LED Globe DIM 12 W, 3715 lm\*  
 Energy Class A

\*Measurements obtained by theoretical calculations at LZF using ivory white shades & recommended bulbs.  
 Veneer Ref: 20 Ivory White.

**PACKAGING**

Box size: 88 × 88 × 210 cm - Wood crated for transport

Box volume: 1,63 m<sup>3</sup>

Weight: Gross - 32,3 Kg | Net - 8,3 Kg

**MATERIALS & COMPONENTS**

Wood Veneer Shade











Black Metal Tripod



Nickel Metal Canopy: ø 12 cm

3 Steel Cable: 2,5 m drop

Transparent Electrical Cable: 2,5 m drop

**FINISHES****WOOD VENEER**

- |   |                   |  |              |
|---|-------------------|--|--------------|
|  | 20 Ivory White    |  | 26 Red       |
|  | 21 Natural Cherry |  | 28 Blue      |
|  | 22 Natural Beech  |  | 29 Grey      |
|  | 24 Yellow         |  | 33 Pale Rose |
|  | 25 Orange         |  | 34 Sea Blue  |

**REF.****PRICE**

LOLA SM BK LED DIM0-10V	1.150 €
LOLA SM BK LED DIMDALI	1.250 €
LOLA SM BK LED DIMBT	1.340 €
LOLA SM WH LED DIM0-10V	1.150 €
LOLA SM WH LED DIMDALI	1.250 €
LOLA SM WH LED DIMBT	1.340 €
LOLA SM NI LED DIM0-10V	1.190 €
LOLA SM NI LED DIMDALI	1.290 €
LOLA SM NI LED DIMBT	1.380 €

**LIGHT SOURCE**

Class I



120 - 277V: Dimmable 0-10V or DALI

220-240V: Dimmable Bluetooth - BT

**Driver:**

Constant Current 350mA

**LED Integrated:**

Led Module

Energy class A\*

3.000K, CRI&gt;90, 15W, 50-60Hz, 1137 lm\*

Available in 2.700K and 4.000K on request

\*Measurements obtained by theoretical calculations at LZF using ivory white shades. Veneer Ref: 20 Ivory White.

**PACKAGING**

Box Size: 66 × 66 × 42 cm

Box Volume: 0,18 m<sup>3</sup>

Weight: Gross - 10,4 Kg | Net - 4,4 Kg

**MATERIALS & COMPONENTS**

Woven Wood Veneer Shade

Transparent Acrylic Frame

Metal Canopy:

ø 17 cm - DIM0-10V &amp; BT

ø 23 cm - DALI

Electrical Cable: 2,5 m drop

**FINISHES****WOOD VENEER**

20 Ivory White



29 Grey



22 Natural Beech

**METAL CANOPY & CABLE**


BK-Matt Black / Black Cable



WH-Matt White / White Cable



NI-Matt Nickel / Transparent Cable

**REF.**

LOLA SG BK LED DIM0-10V	1.900 €
LOLA SG BK LED DIMDALI	1.950 €
LOLA SG BK LED DIMBT	2.000 €
LOLA SG WH LED DIM0-10V	1.900 €
LOLA SG WH LED DIMDALI	1.950 €
LOLA SG WH LED DIMBT	2.000 €
LOLA SG NI LED DIM0-10V	1.900 €
LOLA SG NI LED DIMDALI	1.950 €
LOLA SG NI LED DIMBT	2.000 €

**PRICE****MATERIALS & COMPONENTS**

Woven Wood Veneer Shade

Transparent Acrylic Frame

Metal Canopy:

ø 17 cm - DIM0-10V & BT

ø 23 cm - DALI

Electrical Cable: 2,5 m drop

**LIGHT SOURCE**

Class I



**120 - 277V:** Dimmable 0-10V or DALI

**220-240V:** Dimmable Bluetooth - BT

**Driver:**

Constant Current 1400mA

**LED Integrated:**

Led Module

Energy class A<sup>+</sup>

3.000K, CRI>90, 52W, 50-60Hz, 2860 lm\*

Available in 2.700K and 4.000K on request

\*Measurements obtained by theoretical calculations at LZF using ivory white shades. Veneer Ref: 20 Ivory White.

**FINISHES****WOOD VENEER**

- 20 Ivory White
- 29 Grey
- 22 Natural Beech

**METAL CANOPY & CABLE**



- BK-Matt Black / Black Cable
- WH-Matt White / White Cable
- NI-Matt Nickel / Transparent Cable

**PACKAGING**

Box Size: 101 × 101 × 62 cm

Box Volume: 0,63 m<sup>3</sup>

Weight: Gross - 17,8 Kg | Net - 6,9 Kg



**REF.**

**PRICE**

MARU S 50 BK	450 €
MARU S 50 WH	450 €
MARU S 50 NI	450 €

**LIGHT SOURCE**

Class I



220 - 250V

E27 Lamp Holder

Recommended Bulb - Not Included  
 LED Globe DIM 12 W, 960 lm\*  
 Energy Class A\*

\*Measurements obtained by theoretical calculations at LZF using ivory white shades & recommended bulbs.  
 Veneer Ref: 20 Ivory White.

**PACKAGING**

Box size: 55 x 52 x 8 cm

Box volume: 0,02 m<sup>3</sup>

Weight: Gross - 2,7 Kg | Net - 1,1 Kg

**MATERIALS & COMPONENTS**

Wood Veneer Shade

Nickel Metal Tripod

Metal Canopy: ø 8 cm

Electrical Cable: 2,5 m drop



This lamp requires self assembly

**FINISHES**

- 20 Ivory White
- 26 Red
- 21 Natural Cherry
- 28 Blue
- 22 Natural Beech
- 29 Grey
- 24 Yellow
- 33 Pale Rose
- 25 Orange
- 34 Sea Blue

**METAL CANOPY & CABLE**

- BK-Matt Black & Black Cable
- WH-Matt White & White Cable
- NI-Matt Nickel & Transparent Cable

**REF.**

MMIK S

**PRICE**

790 €

**LIGHT SOURCE**

Class I



220 - 250V

E27 Lamp Holder

Recommended Bulbs - Not Included  
LED Mini Globe DIM 7 W, 385 lm\*  
Energy Class A\*

\*Measurements obtained by theoretical calculations at LZF using ivory white shades & recommended bulbs.  
Veneer Ref: 20 Ivory White.

**PACKAGING**

Box size: 66 × 66 × 62 cm

Box volume: 0,27 m<sup>3</sup>

Weight: Gross - 5,7 Kg | Net - 2,1 Kg

**MATERIALS & COMPONENTS**

Wood Veneer Shade











Metal Structure in Chrome



Nickel Metal Canopy: ø 12 cm

3 Steel Cable: 2,5 m drop

Transparent Electrical Cable: 2,5 m drop

**FINISHES****WOOD VENEER**

- |   |                   |  |              |
|---|-------------------|--|--------------|
|  | 20 Ivory White    |  | 26 Red       |
|  | 21 Natural Cherry |  | 28 Blue      |
|  | 22 Natural Beech  |  | 29 Grey      |
|  | 24 Yellow         |  | 33 Pale Rose |
|  | 25 Orange         |  | 34 Sea Blue  |



**REF.**

**PRICE**

NUT S BK	250 €
NUT S WH	250 €
NUT S NI	250 €

**MATERIALS & COMPONENTS**

Wood Veneer Shade

Metal Tripod

Metal Canopy ø 8 cm

Electrical Cable: 2,5 m drop

**LIGHT SOURCE**

Class I



220 - 250V

E27 Lamp Holder

Recommended Bulbs - Not Included  
LED Globe DIM 12 W, 960 lm\*  
Energy Class A

\*Measurements obtained by theoretical calculations at LZF using ivory white shades & recommended bulbs.  
Veneer Ref: 20 Ivory White.

**PACKAGING**

Box size: 51 × 51 × 32 cm

Box volume: 0,08 m3

Weight: Gross - 3 Kg | Net - 0,8 Kg



**FINISHES**

**WOOD VENEER**

- 20 Ivory White
- 26 Red
- 21 Natural Cherry
- 28 Blue
- 22 Natural Beech
- 29 Grey
- 24 Yellow
- 33 Pale Rose
- 25 Orange
- 34 Sea Blue

**CANOPY, CABLE & TRIPOD**

- BK-Matt Black / Black Cable & Black Tripod
- WH-Matt White / White Cable & White Tripod
- NI-Matt Nickel / Transparent Cable & Nickel Tripod

**REF.****PRICE**

NWAV S LED DIM0-10V	950 €
NWAV S LED DIMDALI	1.050 €
NWAV S LED DIMBT	1.150 €

**LIGHT SOURCE**

Class I

**120 - 277V:** Dimmable 0-10V or DALI**220-240V:** Dimmable Bluetooth - BT**Driver:**

Constant Current 440mA

**LED Integrated:**

Led module

Energy class A\*

3.000K, CRI&gt;90, 16W, 50-60Hz, 760 lm\*

Available in 2.700K and 4.000K on request

\*Measurements obtained by photometric laboratory tests using Blue exterior &amp; Yellow interior.

Veneer Ref: 28 Blue &amp; 24 Yellow

**MATERIALS & COMPONENTS**

Wood Veneer Shade







White Metal Structure

Nickel Metal Canopy: 34 x 11,5 x 5 cm

4 Steel Cables: 2,5 m drop

Transparent Electrical Cable: 2,5 m drop

**FINISHES****WOOD VENEER COMBINATIONS**



Exterior		Interior	
	21 Natural Cherry	with 	20 Ivory White
	26 Red	with 	24 Yellow
	28 Blue	with 	24 Yellow

**PACKAGING**

Box size: 121 x 31 x 34 cm

Box volume: 0,13 m<sup>3</sup>

Weight: Gross - 6 Kg | Net - 2,8 Kg



**REF.**

**PRICE**

NWAV S

620 €

**LIGHT SOURCE**

Class I



220 - 250V

E27 Lamp Holder

Recommended Bulbs - Not Included  
LED Globe DIM 2 x 12 W, 1350 lm\*  
Energy Class A\*

\*Measurements obtained by theoretical calculations at LZF using Blue exterior & Yellow interior & recommended bulbs.  
Veneer Ref: 28 Blue & 24 Yellow

**PACKAGING**

Box size: 121 x 31 x 34 cm

Box volume: 0,13 m<sup>3</sup>

Weight: Gross - 5 Kg | Net - 1,9 Kg

**MATERIALS & COMPONENTS**

Wood Veneer Shade

White Metal Structure







Nickel Metal Canopy: ø 8 cm



4 Steel Cables: 2,5 m drop

Transparent Electrical Cable: 2,5 m drop

**FINISHES**

**WOOD VENEER COMBINATIONS**

Exterior		with	Interior	
	21 Natural Cherry			20 Ivory White
	26 Red	with		24 Yellow
	28 Blue	with		24 Yellow

**REF.****PRICE**

O-LN S 60 BK LED DIM0-10V	990 €
O-LN S 60 BK LED DIMDALI	1.090 €
O-LN S 60 BK LED DIMBT	1.190 €
O-LN S 60 WH LED DIM0-10V	990 €
O-LN S 60 WH LED DIMDALI	1.060 €
O-LN S 60 WH LED DIMBT	1.160 €
O-LN S 60 NI LED DIM0-10V	1.020 €
O-LN S 60 NI LED DIMDALI	1.090 €
O-LN S 60 NI LED DIMBT	1.190 €

**MATERIALS & COMPONENTS**

Wood Veneer Shade

Matt Satin Acrylic Bottom Diffuser

Lacquered Metal Upper Cover Plate

Metal Canopy: ø 23 cm

2 Black Electrified Cables: 2,5 m drop

2 Black Steel Cables: 2,5 m drop

**LIGHT SOURCE**

Class I



120 - 277V: Dimmable 0-10V or DALI

220-240V: Dimmable Bluetooth - BT

**Driver:**

Constant Voltage 24V

**LED Integrated:**

Led strip

Energy class A\*

3.000K, CRI>90, 42W, 50-60Hz, 1852 lm\*  
Available in 2.700K and 4.000K on request

\*Measurements obtained by photometric laboratory tests using ivory white shades. Veneer Ref: 20 Ivory White.

**FINISHES****WOOD VENEER**

	20 Ivory White		26 Red
	21 Natural Cherry		28 Blue
	22 Natural Beech		29 Grey
	24 Yellow		33 Pale Rose
	25 Orange		34 Sea Blue

**METAL CANOPY**



	BK-Matt Black		NI-Matt Nickel
	WH-Matt White		

**PACKAGING**

Box Size: 73 × 73 × 9 cm

Box Volume: 0,05 m<sup>3</sup>

Weight | Gross: 5,4 Kg | Net - 4 Kg



**REF.**

**PRICE**

O-LN S 80 BK LED DIM0-10V	1.250 €
O-LN S 80 BK LED DIMDALI	1.390 €
O-LN S 80 BK LED DIMBT	1.490 €
O-LN S 80 WH LED DIM0-10V	1.250 €
O-LN S 80 WH LED DIMDALI	1.390 €
O-LN S 80 WH LED DIMBT	1.490 €
O-LN S 80 NI LED DIM0-10V	1.290 €
O-LN S 80 NI LED DIMDALI	1.430 €
O-LN S 80 NI LED DIMBT	1.530 €

**MATERIALS & COMPONENTS**

Wood Veneer Shade

Matt Satin Acrylic Bottom Diffuser

Lacquered Metal Upper Cover Plate

Black Metal Canopy: ø 23 cm

2 Black Electrified Cables: 2,5 m drop

2 Black Steel Cables: 2,5 m drop

**LIGHT SOURCE**

Class I

120 - 277V: Dimmable 0-10V or DALI

220-240V: Dimmable Bluetooth - BT

**Driver:**

Constant Voltage 24V

**LED Integrated:**

Led strip

Energy class A\*

3.000K, CRI>90, 55W, 50-60Hz, 2469 lm\*

Available in 2.700K and 4.000K on request

\*Measurements obtained by photometric laboratory tests using ivory white shades. Veneer Ref: 20 Ivory White.

**FINISHES**

**WOOD VENEER**

20 Ivory White	26 Red
21 Natural Cherry	28 Blue
22 Natural Beech	29 Grey
24 Yellow	33 Pale Rose
25 Orange	34 Sea Blue

**METAL CANOPY**



BK-Matt Black	NI-Matt Nickel
WH-Matt White	

**PACKAGING**

Box Size: 93 × 93 × 9 cm

Box Volume: 0,08 m<sup>3</sup>

Weight: Gross -6,7 Kg | Net - 4,6 Kg



**REF.**

POD SM

**PRICE**

790 €

**LIGHT SOURCE**

Class I



220 - 250V

E27 Lamp Holder

Recommended Bulbs - Not Included  
 LED Spherical DIM 11 W, 500 lm\*  
 Energy Class A\*

\*Measurements obtained by theoretical calculations at LZP using ivory white shades & recommended bulbs.  
 Veneer Ref: 20 Ivory White.

**PACKAGING**

Box size: 51 × 51 × 81 cm

Box volume: 0,21 m<sup>3</sup>

Weight: Gross - 5,1 Kg | Net - 2,5 Kg

**MATERIALS & COMPONENTS**

Wood Veneer Shade






Nickel Metal Canopy: ø 12 cm



3 Steel Cable: 2,5 m drop

Transparent Electrical Cable: 2,5 m drop

**FINISHES**

**WOOD VENEER**

- |   |   |
|---|---|
|  20 Ivory White    |  26 Red       |
|  21 Natural Cherry |  28 Blue      |
|  22 Natural Beech  |  29 Grey      |
|  24 Yellow         |  33 Pale Rose |
|  25 Orange         |  34 Sea Blue  |



**REF.**

POPPY SP

**PRICE**

790 €

**LIGHT SOURCE**

Class I



220 - 250V

E27 Lamp Holder

Recommended Bulbs - Not Included  
LED Spherical DIM 11 W, 500 lm\*  
Energy Class A\*

\*Measurements obtained by theoretical calculations at LZF using ivory white shades & recommended bulbs.  
Veneer Ref: 20 Ivory White.

**PACKAGING**

Box size: 66 x 66 x 62 cm

Box volume: 0,27 m³

Weight: Gross - 6,9 Kg | Net - 2,6 Kg

**MATERIALS & COMPONENTS**

Wood Veneer Shade

Nickel Metal Canopy: ø 12 cm



3 Steel Cable: 2,5 m drop

Transparent Electrical Cable: 2,5 m drop

**FINISHES**

**WOOD VENEER**

- 20 Ivory White
- 26 Red
- 21 Natural Cherry
- 28 Blue
- 22 Natural Beech
- 29 Grey
- 24 Yellow
- 33 Pale Rose
- 25 Orange
- 34 Sea Blue

**REF.**

POPPY SM

**PRICE**

860 €

**LIGHT SOURCE**

Class I



220 - 250V

E27 Lamp Holder

Recommended Bulbs - Not Included  
 LED Spherical DIM 11 W, 500 lm\*  
 Energy Class A\*

\*Measurements obtained by theoretical calculations at LZF using ivory white shades & recommended bulbs.  
 Veneer Ref: 20 Ivory White.

**PACKAGING**

Box size: 76 × 76 × 77 cm

Box volume: 0,44 m<sup>3</sup>

Weight: Gross - 7,6 Kg | Net - 2,9 Kg

**MATERIALS & COMPONENTS**











Wood Veneer Shade


Nickel Metal Canopy: ø 12 cm

3 Steel Cable: 2,5 m drop

Transparent Electrical Cable: 2,5 m drop

**FINISHES****WOOD VENEER**

- |   |                   |  |              |
|---|-------------------|--|--------------|
|  | 20 Ivory White    |  | 26 Red       |
|  | 21 Natural Cherry |  | 28 Blue      |
|  | 22 Natural Beech  |  | 29 Grey      |
|  | 24 Yellow         |  | 33 Pale Rose |
|  | 25 Orange         |  | 34 Sea Blue  |



**REF.**

RDROP SP

**PRICE**

440 €

**LIGHT SOURCE**

Class I



220 - 250V

G9 Lamp Holder

Recommended Bulbs - Not Included  
 LED DIM 3W, 180 lm\*  
 Energy Class A\*

\*Measurements obtained by theoretical calculations at LZF using ivory white shades & recommended bulbs.  
 Veneer Ref: 20 Ivory White.

**PACKAGING**

Box size: 42 x 30 x 27 cm

Box volume: 0,03 m<sup>3</sup>

Weight: Gross - 2,1 Kg | Net - 0,7 Kg

**MATERIALS & COMPONENTS**

Wood Veneer Shade

Frosted Glass Ball

Nickel Metal Canopy: ø 8 cm



Steel Cable: 2,5 m drop

Transparent Electrical Cable: 2,5 m drop

**FINISHES**

**WOOD VENEER**

- 20 Ivory White
- 26 Red
- 21 Natural Cherry
- 28 Blue
- 22 Natural Beech
- 29 Grey
- 24 Yellow
- 33 Pale Rose
- 25 Orange
- 34 Sea Blue

**REF.**

RDROP SM

**PRICE**

490 €

**LIGHT SOURCE**

Class I



220 - 250V

G9 Lamp Holder

Recommended Bulbs - Not Included  
LED DIM 3W, 180 lm\*  
Energy Class A\*

\*Measurements obtained by theoretical calculations at LZF using ivory white shades & recommended bulbs.  
Veneer Ref: 20 Ivory White.

**PACKAGING**

Box size: 42 × 30 × 27 cm

Box volume: 0,03 m<sup>3</sup>

Weight: Gross - 2,2 Kg | Net - 0,9 Kg

**MATERIALS & COMPONENTS**

Wood Veneer Shade









Frosted Glass Ball



Nickel Metal Canopy: ø 8 cm

Steel Cable: 2,5 m drop

Transparent Electrical Cable: 2,5 m drop

**FINISHES****WOOD VENEER**

- |   |                   |  |              |
|---|-------------------|--|--------------|
|  | 20 Ivory White    |  | 26 Red       |
|  | 21 Natural Cherry |  | 28 Blue      |
|  | 22 Natural Beech  |  | 29 Grey      |
|  | 24 Yellow         |  | 33 Pale Rose |
|  | 25 Orange         |  | 34 Sea Blue  |



REF.

PRICE

SAT SP LED DIM0-10V	930 €
SAT SP LED DIMDALI	1.040 €
SAT SP LED DIMBT	1.090 €

MATERIALS & COMPONENTS

Wood Veneer Shade

- White Top Diffuser
- Black is available if you want no upward light diffusion
- Matt Satin Acrylic Bottom Diffuser

LIGHT SOURCE

Class I

120 - 277V: Dimmable 0-10V or DALI  
 220-240V: Dimmable Bluetooth - BT

Nickel Metal Canopy:  
 ø 17 cm - DIM0-10V & BT  
 ø 23 cm - DALI

Driver:  
 Constant Current 700mA

3 Steel Cables: 2,5 m drop

Transparent Electrical Cable: 2,5 m drop

LED Integrated:  
 Led module  
 Energy class A\*

3.000K, CRI>90, 25W, 50-60Hz, 1866 lm\*  
 Available in 2.700K and 4.000K on request

\*Measurements obtained by photometric laboratory tests using ivory white shades. Veneer Ref: 20 Ivory White.

FINISHES

WOOD VENEER



- |                   |              |
|-------------------|--------------|
| 20 Ivory White    | 26 Red       |
| 21 Natural Cherry | 28 Blue      |
| 22 Natural Beech  | 29 Grey      |
| 24 Yellow         | 33 Pale Rose |
| 25 Orange         | 34 Sea Blue  |

PACKAGING

Box Size: 61 x 61 x 34 cm

Box Volume: 0,13 m³

Weight: Gross - 7,3 Kg | Net - 3,1 Kg

**REF.****PRICE**

SAT SM LED DIM0-10V	1.730 €
SAT SM LED DIMDALI	1.830 €
SAT SM LED DIMDALI or DIMBT	1.930 €

**LIGHT SOURCE**

Class I



120 - 277V: Dimmable 0-10V or DALI

220-240V: Dimmable Bluetooth - BT

**Driver:**

Constant Current 1400mA

**LED Integrated:**

Led module

Energy class A\*

3.000K, CRI&gt;90, 57W, 50-60Hz, 4593 lm\*

Available in 2.700K and 4.000K on request

\*Measurements obtained by photometric laboratory tests using ivory white shades. Veneer Ref: 20 Ivory White.

**PACKAGING**

Box Size: 110 x 110 x 36 cm

Box Volume: 0,44 m<sup>3</sup>

Weight | Gross: 16,6 Kg | Net - 7,9 Kg

**MATERIALS & COMPONENTS**

Wood Veneer Shade

- White Top Diffuser

Black is available if you want no upward light diffusion

- Matt Satin Acrylic Bottom Diffuser

Nickel Metal Canopy:











ø 17 cm - DIM0-10V &amp; BT



ø 23 cm - DALI

3 Steel Cables: 2,5 m drop

Transparent Electrical Cable: 2,5 m drop

**FINISHES****WOOD VENEER**

	20 Ivory White		26 Red
	21 Natural Cherry		28 Blue
	22 Natural Beech		29 Grey
	24 Yellow		33 Pale Rose
	25 Orange		34 Sea Blue



**REF.**

**PRICE**

SAT SG LED DIM0-10V	2.850 €
SAT SG LED DIMDALI	2.930 €
SAT SG LED DIMBT	3.030 €

**MATERIALS & COMPONENTS**

Wood Veneer Shade

- White Top Diffuser  
Black is available if you want no upward light diffusion
- Matt Satin Acrylic Bottom Diffuser

**LIGHT SOURCE**

Class I

120 - 277V: Dimmable 0-10V or DALI  
220-240V: Dimmable Bluetooth - BT

Nickel Metal Canopy: ø 23 cm

4 Steel Cables: 2,5 m drop

**Drivers:**

- Constant Current 1400mA
- Constant Current 700mA

Transparent Electrical Cable: 2,5 m drop

**LED Integrated:**

Led module  
Energy class A<sup>+</sup>

3.000K, CRI>90, 85W, 50-60Hz, 6890 lm\*  
Available in 2.700K and 4.000K on request

\*Measurements obtained by photometric laboratory tests using ivory white shades. Veneer Ref: 20 Ivory White.

**FINISHES**

**WOOD VENEER**



- |                   |              |
|-------------------|--------------|
| 20 Ivory White    | 26 Red       |
| 21 Natural Cherry | 28 Blue      |
| 22 Natural Beech  | 29 Grey      |
| 24 Yellow         | 33 Pale Rose |
| 25 Orange         | 34 Sea Blue  |

**PACKAGING**

Box Size: 139 x 139 x 37 cm - Wood crated for transport

Box Volume: 0,71 m<sup>3</sup>

Weight | Gross: 55,3 Kg | Net - 15,3 Kg

**REF.****PRICE**

SPRO SM BK LED DIM0-10V	1.890 €
SPRO SM WH LED DIM0-10V	1.890 €
SPRO SM BK LED DIMDALI	1.990 €
SPRO SM WH LED DIMDALI	1.990 €
SPRO SM BK LED DIMBT	2.090 €
SPRO SM WH LED DIMBT	2.090 €

**LIGHT SOURCE**

Class I



120 - 277V: Dimmable 0-10V or DALI

220-240V: Dimmable Bluetooth - BT

**Driver:**

Constant Current 1400mA

**LED Integrated:**

Led module

Energy class A\*

3.000K, CRI&gt;90, 48W, 50-60Hz, 1133 lm\*

Available in 2.700K and 4.000K on request

\*Measurements obtained by photometric laboratory tests using matt white outer shell and ivory white shades.

Veneer Ref: 20 Ivory White

**PACKAGING**

Box Size: 88 × 88 × 34 cm

Box Volume: 0,27 m<sup>3</sup>

Weight: Gross - 17,8 Kg | Net - 10,9 Kg

**MATERIALS & COMPONENTS**

Acrylic Outer Shell

Wood Veneer Spirals

- White Acrylic Top Diffuser

- Black is available if you want no upward light diffusion

- Transparent Acrylic Bottom Diffuser

Metal Canopy:

ø 17 cm - DIM0-10V &amp; BT

ø 23 cm - DALI

4 Steel Black Cables: 2,5 m drop

Electrical Cable: 2,5 m drop

**FINISHES****ACRYLIC SHELL**

BK- Matt Black



WH- Matt White

**WOOD VENEER SPIRALS**

20 Ivory White



26 Red



21 Natural Cherry



28 Blue



22 Natural Beech



29 Grey



24 Yellow



33 Pale Rose



25 Orange





34 Sea Blue

**METAL CANOPY**

BK-Matt Black &amp; Black Cable



WH-Matt White &amp; White Cable



**REF.**

**PRICE**

SPRO SM 21 LED DIM0-10V	1.890 €
SPRO SM 21 LED DIMDALI	1.990 €
SPRO SM 21 LED DIMBT	2.090 €

**LIGHT SOURCE**

Class I



**120 - 277V:** Dimmable 0-10V or DALI  
**220-240V:** Dimmable Bluetooth - BT

**Driver:**

Constant Current 1400mA

**LED Integrated:**

Led module  
 Energy class A\*

3.000K, CRI>90, 48W, 50-60Hz, 1082 lm\*  
 Available in 2.700K and 4.000K on request

\*Measurements obtained by photometric laboratory tests using matt white outer shell and ivory white shades.  
 Veneer Ref: 20 Ivory White

**PACKAGING**

Box Size: 88 × 88 × 34 cm

Box Volume: 0,27 m<sup>3</sup>

Weight: Gross - 15,5 Kg | Net - 10,1 Kg

**MATERIALS & COMPONENTS**

Opaque Wood Shell

Wood Veneer Spirals

- White Acrylic Top Diffuser
- Black is available if you want no upward light diffusion
- Transparent Acrylic Bottom Diffuser

Black Metal Canopy:  
 ø 17 cm - DIM0-10V & BT  
 ø 23 cm - DALI

4 Black Steel Cables: 2,5 m drop

Black Electrical Cable: 2,5 m drop



**FINISHES**

**WOOD SHELL**

- 21 Natural Cherry

**WOOD VENEER SPIRALS**

- 21 Natural Cherry

**REF.****PRICE**

SPRO SG BK LED DIM0-10V	2.900 €
SPRO SG WH LED DIM0-10V	2.900 €
SPRO SG BK LED DIMDALI	3.060 €
SPRO SG WH LED DIMDALI	3.060 €
SPRO SG BK LED DIMBT	3.130 €
SPRO SG WH LED DIMBT	3.130 €

**LIGHT SOURCE**

Class I



120 - 277V: Dimmable 0-10V or DALI

220-240V: Dimmable Bluetooth - BT

**Drivers:**

- Constant Current 1400mA
- Constant Current 700mA

**LED Integrated:**

Led module  
Energy class A\*

3.000K, CRI>90, 85W, 50-60Hz, 2093 lm\*  
Available in 2.700K and 4.000K on request

\*Measurements obtained by photometric laboratory tests  
using matt white outer shell and ivory white shades.

Veneer Ref: 20 Ivory White

**PACKAGING**

Box Size: 110 x 110 x 36 cm

Box Volume: 0,44 m<sup>3</sup>

Weight: Gross - 24,8 Kg | Net - 17 Kg

**MATERIALS & COMPONENTS**

Acrylic Outer Shell

Wood Veneer Spirals

- White Acrylic Top Diffuser  
Black is available if you want no upward light diffusion
- Transparent Acrylic Bottom Diffuser

Metal Canopy: ø 23 cm

4 Black Steel Cables: 2,5 m drop

Electrical Cable: 2,5 m drop

**FINISHES****ACRYLIC SHELL**

● BK- Matt Black      ● WH- Matt White

**WOOD VENEER SPIRALS**

● 20 Ivory White	● 26 Red
● 21 Natural Cherry	● 28 Blue
● 22 Natural Beech	● 29 Grey
● 24 Yellow	● 33 Pale Rose
● 25 Orange	● 34 Sea Blue

**METAL CANOPY**

● BK-Matt Black & Black Cable  
● WH-Matt White & White Cable




**REF.**

**PRICE**

SPRO SG 21 LED DIM0-10V	2.900 €
SPRO SG 21 LED DIMDALI	3.060 €
SPRO SG 21 LED DIMBT	3.130 €

**LIGHT SOURCE**

Class I 

**120 - 277V:** Dimmable 0-10V or DALI  
**220-240V:** Dimmable Bluetooth - BT

**Drivers:**

- Constant Current 1400mA
- Constant Current 700mA

**LED Integrated:**

Led module  
 Energy class A\*

3.000K, CRI>90, 85W, 50-60Hz, 1921 lm\*  
 Available in 2.700K and 4.000K on request

\*Measurements obtained by photometric laboratory tests using matt white outer shell and ivory white shades.  
 Veneer Ref: 20 Ivory White

**PACKAGING**

Box Size: 110 × 110 × 36 cm

Box Volume: 0,44 m<sup>3</sup>

Weight: Gross - 23,3 Kg | Net - 11,9 Kg

**MATERIALS & COMPONENTS**

Opaque Wood Shell

Wood Veneer Spirals

- White Acrylic Top Diffuser  
 Black is available if you want no upward light diffusion
- Transparent Acrylic Bottom Diffuser


Black Metal Canopy: ø 23 cm

4 Black Steel Cables: 2,5 m drop


Black Electrical Cable: 2,5 m drop



**FINISHES**

**WOOD SHELL**

 21 Natural Cherry

**WOOD VENEER SPIRALS**

 21 Natural Cherry

**REF.**

STCH BMK S

**PRICE**

820 €

**LIGHT SOURCE**

Class I



220 - 250V

E27 Lamp Holder

Recommended Bulbs - Not Included  
 LED Globe DIM 12 W, 845 lm\*  
 Energy Class A

\*Measurements obtained by theoretical calculations at LZP using ivory white shades & recommended bulbs.  
 Veneer Ref: 20 Ivory White.

**PACKAGING**

Box Size: 66 × 66 × 62 cm

Box Volume: 0,27 m<sup>3</sup>

Weight: Gross - 5,8 Kg | Net - 1,5 Kg

**MATERIALS & COMPONENTS**



Wood Veneer Shade

Nickel Metal Canopy: ø 8 cm

Transparent Electrical Cable: 2,5 m drop

**FINISHES****WOOD VENEER**

- |   |                |  |              |
|---|----------------|--|--------------|
|  | 20 Ivory White |  | 28 Blue      |
|  | 24 Yellow      |  | 29 Grey      |
|  | 25 Orange      |  | 33 Pale Rose |
|  | 26 Red         |  | 34 Sea Blue  |



**REF.**

**PRICE**

STCH TBTU S

870 €

**LIGHT SOURCE**

Class I



220 - 250V

E27 Lamp Holder

Recommended Bulbs - Not Included  
LED Globe DIM 12 W, 845 lm\*  
Energy Class A

\*Measurements obtained by theoretical calculations at LZF using ivory white shades & recommended bulbs.  
Veneer Ref: 20 Ivory White.

**PACKAGING**

Box Size: 51 × 51 × 106 cm

Box Volume: 0,28 m<sup>3</sup>

Weight: Gross - 5,8 Kg | Net - 1,4 Kg

**MATERIALS & COMPONENTS**

Wood Veneer Shade



Nickel Metal Canopy: ø 8 cm

Transparent Electrical Cable: 2,5 m drop

**FINISHES**

**WOOD VENEER**

- 20 Ivory White
- 28 Blue
- 24 Yellow
- 29 Grey
- 25 Orange
- 33 Pale Rose
- 26 Red
- 34 Sea Blue

**REF.****PRICE**

SWRL SP BK	490 €
SWRL SP WH	490 €
SWRL SP NI	490 €

**LIGHT SOURCE**

Class I



220 - 250V

E27 Lamp Holder

Recommended Bulbs - Not Included  
LED Globe DIM 12 W, 960 lm\*  
Energy Class A

\*Measurements obtained by theoretical calculations at LZP using ivory white shades & recommended bulbs.  
Veneer Ref: 20 Ivory White.

**PACKAGING**

Box size: 61 × 61 × 34 cm

Box volume: 0,13 m<sup>3</sup>

Weight: Gross - 4,4 Kg | Net - 1,3 Kg

**MATERIALS & COMPONENTS**

Wood Veneer Shade




Metal Tripod &amp; Canopy: ø 8 cm



Electrical Cable: 2,5 m drop

**FINISHES****WOOD VENEER**

 20 Ivory White	 26 Red
 21 Natural Cherry	 28 Blue
 22 Natural Beech	 29 Grey
 24 Yellow	 33 Pale Rose
 25 Orange	 34 Sea Blue

**CANOPY, CABLE & TRIPOD**

 BK-Matt Black / Black Cable & Black Tripod
 WH-Matt White / White Cable & White Tripod
 NI-Matt Nickel / Transparent Cable & Nickel Tripod



**REF.**

**PRICE**

SWRL SG BK	690 €
SWRL SG WH	690 €
SWRL SG NI	690 €

**MATERIALS & COMPONENTS**

Wood Veneer Shade

Metal Tripod & Canopy: ø 8 cm

Electrical Cable: 2,5 m drop

**LIGHT SOURCE**

Class I

220 - 250V

E27 Lamp Holder

Recommended Bulbs - Not Included  
LED Globe DIM 12 W, 1015 lm\*  
Energy Class A

\*Measurements obtained by theoretical calculations at LZP using ivory white shades & recommended bulbs.  
Veneer Ref: 20 Ivory White.

**FINISHES**

**WOOD VENEER**

- 20 Ivory White
- 26 Red
- 21 Natural Cherry
- 28 Blue
- 22 Natural Beech
- 29 Grey
- 24 Yellow
- 33 Pale Rose
- 25 Orange
- 34 Sea Blue

**PACKAGING**



Box size: 79 × 79 × 42 cm

Box volume: 0,26 m3

Weight: Gross - 6,6 Kg | Net - 1,6 Kg

**CANOPY, CABLE & TRIPOD**

- BK-Matt Black / Black Cable & Black Tripod
- WH-Matt White / White Cable & White Tripod
- NI-Matt Nickel / Transparent Cable & Nickel Tripod

**REF.**

TOMO S 24 LED DIM0-10V  
TOMO S 24 LED DIMBT

**PRICE**

630 €  
820 €

**LIGHT SOURCE**

Class I



120 - 277V: Dimmable 0-10V

220-240V: Dimmable Bluetooth - BT

**Driver:**

Constant Voltage 24V

**LED Integrated:**

Led strip

Energy class A\*

3.000K, CRI&gt;90, 14W, 50-60Hz, 272 lm\*

Available in 2.700K and 4.000K on request

\*Measurements obtained by theoretical calculations at LZF using ivory white shades. Veneer Ref: 20 Ivory White.

**PACKAGING**

Box Size: 42 x 30 x 27 cm

Box Volume: 0,03 m<sup>3</sup>

Weight: Gross - 4 Kg | Net - 2,8 Kg

**MATERIALS & COMPONENTS**

Wood Veneer Shade

Matt Satin Acrylic Bottom Diffuser

Black Metal Structure

Black Metal Canopy: 35 x 4 x 6,6 cm

2 Electrified Black Steel Cables: 2,5 m drop

**FINISHES****WOOD VENEER**

20 Ivory White



24 Yellow



21 Natural Cherry





33 Pale Rose



22 Natural Beech



34 Sea Blue



**REF.**

**PRICE**

TOMO S 36 LED DIM0-10V  
 TOMO S 36 LED DIMBT

650 €  
 840 €

**LIGHT SOURCE**

Class I



120 - 277V: Dimmable 0-10V  
 220-240V: Dimmable Bluetooth - BT

**Driver:**

Constant Voltage 24V

**LED Integrated:**

Led strip  
 Energy class A\*

3.000K, CRI>90, 20W, 50-60Hz, k 408 lm\*  
 Available in 2.700K and 4.000K on request

\*Measurements obtained by theoretical calculations at LZF using ivory white shades. Veneer Ref: 20 Ivory White.

**PACKAGING**

Box Size: 42 x 30 x 27 cm

Box Volume: 0,03 m<sup>3</sup>

Weight: Gross - 5 Kg | Net - 3,1 Kg

**MATERIALS & COMPONENTS**

Wood Veneer Shade

Matt Satin Acrylic Bottom Diffuser







Black Metal Structure



Black Metal Canopy: 35 x 4 x 6,6 cm

2 Electrified Black Steel Cables: 2,5 m drop

**FINISHES**

**WOOD VENEER**

-  20 Ivory White
-  24 Yellow
-  21 Natural Cherry
-  33 Pale Rose
-  22 Natural Beech
-  34 Sea Blue

**REF.**

TOT3 S LED DIM0-10V  
 TOT3 S LED DIMDALI  
 TOT3 S LED DIMBT

**PRICE**

3.620 €  
 3.730 €  
 3.730 €

**MATERIALS & COMPONENTS**

3 Wood Veneer Shade

Nickel Metal Canopy:  $\varnothing$  12 cm

3 Steel Cables: 2,5 m drop

Transparent Electrical Cable: 2,5 m drop

**LIGHT SOURCE**

Class I



120 - 277V: Dimmable 0-10V or DALI

220-240V: Dimmable Bluetooth - BT

**Driver:**

Constant Current 900mA











**LED Integrated:**

Led module  
 Energy class A\*

3.000K, CRI>90, 60W, 50-60Hz, 1795 lm\*  
 Available in 2.700K and 4.000K on request

\*Measurements obtained by theoretical calculations at LZF using ivory white shades. Veneer Ref: 20 Ivory White.

**FINISHES****WOOD VENEER**

- |   |                   |  |              |
|---|-------------------|--|--------------|
|  | 20 Ivory White    |  | 26 Red       |
|  | 21 Natural Cherry |  | 28 Blue      |
|  | 22 Natural Beech  |  | 29 Grey      |
|  | 24 Yellow         |  | 33 Pale Rose |
|  | 25 Orange         |  | 34 Sea Blue  |

**PACKAGING****Box Size:****Shades**

Box 1: 76 × 76 × 69 cm | 0,40 m<sup>3</sup> | 7,1 Kg



Box 2: 66 × 66 × 52 cm | 0,23 m<sup>3</sup> | 5,9 Kg

Box 3: 51 × 51 × 62 cm | 0,16 m<sup>3</sup> | 4 Kg

**Electrical kit**

Box 4: 182 × 37 × 25 cm | 0,17 m<sup>3</sup> | 9,5 Kg

Weight: Total Gross - 26,5 Kg | Total Net - 15 Kg



**REF.**

**PRICE**

TOT4 S LED DIM0-10V	4.850 €
TOT4 S LED DIMDALI	4.970 €
TOT4 S LED DIMBT	4.970 €

**MATERIALS & COMPONENTS**

4 Wood Veneer Shades

Nickel Metal Canopy: ø 12 cm

3 Steel Cables: 2,5 m drop

Transparent Electrical Cable: 2,5 m drop

**LIGHT SOURCE**

Class I

120 - 277V: Dimmable 0-10V or DALI  
 220-240V: Dimmable Bluetooth - BT

**Driver:**  
 Constant Current 900mA

**LED Integrated:**  
 Led module  
 Energy class A\*

3.000K, CRI>90, 90W, 50-60Hz, 2513 lm\*  
 Available in 2.700K and 4.000K on request

\*Measurements obtained by theoretical calculations at LZF using ivory white shades. Veneer Ref: 20 Ivory White.

**FINISHES**

**WOOD VENEER**



- 20 Ivory White
- 21 Natural Cherry
- 22 Natural Beech
- 24 Yellow
- 25 Orange
- 26 Red
- 28 Blue
- 29 Grey
- 33 Pale Rose
- 34 Sea Blue

**PACKAGING**

**Box Size:**  
 Shades  
 Box 1: 101 x 101 x 84 cm | 0,86 m³ | 10,9 Kg  
 Box 2: 76 x 76 x 69 cm | 0,40 m³ | 7,1 Kg  
 Box 3: 66 x 66 x 52 cm | 0,23 m³ | 5,9 Kg  
 Box 4: 51 x 51 x 62 cm | 0,16 m³ | 4 Kg

Electrical kit  
 Box 5: 182 x 37 x 25 cm | 0,17 m³ | 10,4 Kg

Weight: Total Gross - 38,3 Kg | Total Net - 22 Kg

**REF.****PRICE**

X SM LED DIM0-10V	1.860 €
X SM LED DIMDALI	1.880 €
X SM LED DIMBT	1.980 €

**LIGHT SOURCE**

Class I

**120 - 277V:** Dimmable 0-10V or DALI**220-240V:** Dimmable Bluetooth - BT**Driver:**

Constant Current 1400mA

**LED Integrated:**

Led module

Energy class A\*

3.000K, CRI90, 35W, 50-60Hz, 2832 lm\*

Available in 2.700K and 4.000K on request

\*Measurements obtained by photometric laboratory tests using ivory white shades. Veneer Ref: 20 Ivory White.

**PACKAGING**

Box Size: 79 × 79 × 42 cm

Box Volume: 0,26 m<sup>3</sup>

Weight: Gross - 13 Kg | Net - 5,2 Kg

**MATERIALS & COMPONENTS**

Wood Veneer Shade

Black or White Top Diffuser

- White Acrylic Top Diffuser

Black is available if you want no upward light diffusion










- Matt Satin Acrylic Bottom Diffuser

Nickel Metal Canopy: 34 × 11,5 × 5 cm

4 Steel Cables: 2,5 m drop

Transparent Electrical Cable: 2,5 m drop

**FINISHES****WOOD VENEER**

	20 Ivory White		26 Red
	21 Natural Cherry		28 Blue
	22 Natural Beech		29 Grey
	24 Yellow		33 Pale Rose
	25 Orange		34 Sea Blue



# **SUSPENSION**


panels

Suns


73





SUNS S 40



SUNS S 60



SUNS S 80

**REF.****PRICE**

SUNS S 40	310 €
SUNS S 60	510 €
SUNS S 80	560 €

**MATERIALS & COMPONENTS**

Wood Veneer Panel

Black Metal Structure

3 Black Steel Cables: 2,5 m drop


**PACKAGING**

SUNS S 40: Box Size: 55 × 52 × 8 cm | Box Volume: 0,02 m<sup>3</sup>  
Weight: Gross - 2 Kg | Net - 1,8 Kg

SUNS S 60: Box Size: 73 × 73 × 9 cm | Box Volume: 0,05 m<sup>3</sup>  
Weight: Gross - 2,5 Kg | Net - 2,2 Kg

SUNS S 80: Box Size: 93 × 93 × 9 cm | Box Volume: 0,08 m<sup>3</sup>  
Weight: Gross - 3 Kg | Net - 2,7 Kg

**FINISHES****WOOD PANEL COLOUR**

 20 Ivory White

**THIS FIXTURE IS NOT ELECTRIFIED AND CONTAINS NO LIGHT SOURCE**

"Suns are innovative decorative circular panels that can be installed at different angles and that break up sound and interact with light. Do not contain light source".





---

# **TABLE**

## **lamps**

Air	76
Mini Chou	77
Chou	78
Eris	80
I-Club	81
Lens	82
Lola	84
Thesis	88
Tomo	89

**REF.**

AIR MG

**PRICE**

325 €

**LIGHT SOURCE**Class II  

220 - 250V: Dimmable

E14 Lamp Holder

Recommended Bulbs - Not Included  
LED Mini Globe DIM 5,5 W, 329 lm\*  
Energy Class A

\*Measurements obtained by theoretical calculations at LZF using ivory white shades & recommended bulbs.  
Veneer Ref: 20 Ivory White.

**PACKAGING**

Box Size: 54 × 36 × 36 cm

Box Volume: 0,07 m<sup>3</sup>

Weight: Gross - 1,3 Kg | Net - 0,7 Kg











**MATERIALS & COMPONENTS**



Wood Veneer Shade

Chrome Metal Base

Transparent Electrical Cable with Dimming Switch: 145 cm

**FINISHES****WOOD VENEER**

- |   |                   |   |              |
|---|-------------------|---|--------------|
|  | 20 Ivory White    |  | 26 Red       |
|  | 21 Natural Cherry |  | 28 Blue      |
|  | 22 Natural Beech  |  | 29 Grey      |
|  | 24 Yellow         |  | 33 Pale Rose |
|  | 25 Orange         |  | 34 Sea Blue  |



**REF.**

CHOU MN LED  
 CHOU MN LED (set 6 units)

**PRICE**

350 €  
 2.000 €

**LIGHT SOURCE**

Class III

Dimmable

**LED Integrated:**  
 SMD 1 W  
 Energy class A+

4000 K, CRI 80, 4 W, 50000 h, 315 lm\*

\*Measurements obtained by theoretical calculations at LZF using ivory white shades. Veneer Ref: 20 Ivory White.

**PACKAGING**

**Box size:**

1 Unit  
 Box Size: 20 × 20 × 43 cm

Box Volume: 0,02 m<sup>3</sup>

Weight: Gross - 1,5 Kg | Net - 0,62 Kg

6 Unit Set  
 Box Size: 54 × 36 × 36 cm

Box Volume: 0,08 m<sup>3</sup>

Weight: Gross - 7 Kg | Net - 3,7 Kg

**MATERIALS & COMPONENTS**

Wood Veneer Shade

Matt Satin Acylic Diffuser

Black Metal Base & Handle

Plug-in Driver

Rechargeable Battery:  
 2,7-4,2V 5800mAh - INR18650 29E  
 8 Hours Autonomy at 90% Power



IN CHARGE: USB Type C

On / Off Pulse Dimmer

**FINISHES**

**WOOD VENEER**

- 20 Ivory White
- 29 Grey
- 22 Natural Beech
- 33 Pale Rose
- 26 Red
- 34 Sea Blue
- \*On Request: 24 Yellow



**REF.**

CHOU MPB

**PRICE**

420 €

**MATERIALS & COMPONENTS**

Wood Veneer Shade

Black Metal Base & Handle

Black Electrical Cable with Dimming Switch: 130 cm

**LIGHT SOURCE**

Class II  

220 - 250V: Dimmable











E27 Lamp Holder

Recommended Bulb - Not Included  
LED Spherical DIM 11 W, 600 lm\*  
Energy Class A\*

\*Measurements obtained by theoretical calculations at LZF using ivory white shades & recommended bulbs.  
Veneer Ref: 20 Ivory White.

**FINISHES**

**WOOD VENEER**



-  20 Ivory White
-  21 Natural Cherry
-  22 Natural Beech
-  24 Yellow
-  25 Orange
-  26 Red
-  28 Blue
-  29 Grey
-  33 Pale Rose
-  34 Sea Blue

**PACKAGING**

Box Size: 31 x 31 x 39 cm

Box Volume: 0,04 m<sup>3</sup>

Weight: Gross - 2,1 Kg | Net - 1,1 Kg




**REF.**

CHOU MPA

**PRICE**

450 €

**LIGHT SOURCE**

Class II  

220 - 250V: Dimmable

E27 Lamp Holder

Recommended Bulb - Not Included  
LED Spherical DIM 11 W, 600 lm\*  
Energy Class A\*

\*Measurements obtained by theoretical calculations at LZP using ivory white shades & recommended bulbs.  
Veneer Ref: 20 Ivory White.

**PACKAGING**

Box Size: 31 x 31 x 57 cm

Box Volume: 0,05 m<sup>3</sup>

Weight: Gross - 2,4 Kg | Net - 1,2 Kg

**MATERIALS & COMPONENTS**











Wood Veneer Shade


Black Metal Base & Handle

Black Electrical Cable with Dimming Switch: 130 cm

**FINISHES**

**WOOD VENEER**

- |   |   |
|---|---|
|  20 Ivory White    |  26 Red       |
|  21 Natural Cherry |  28 Blue      |
|  22 Natural Beech  |  29 Grey      |
|  24 Yellow         |  33 Pale Rose |
|  25 Orange         |  34 Sea Blue  |



**REF.**

**PRICE**

ERIS M AL	970 €
ERIS M BK	930 €

**LIGHT SOURCE**

Class II

220-250V: Dimmable

GU10 Lamp Holder

Recommended Bulb - Included  
LED DIM 3,7 W, 178 lm\*  
Energy Class A\*

\*Measurements obtained by theoretical calculations at LZP using ivory white shades. Veneer Ref: 20 Ivory White.

**PACKAGING**

Box Size: 54 x 36 x 36 cm

Box Volume: 0,07 m<sup>3</sup>

Weight: Gross - 5 Kg | Net - 2 Kg

**MATERIALS & COMPONENTS**

Wood Veneer Shade

Hand Blown Glass: Borosilicate\*

Metal Base

Black Electrical Cable with Dimming Switch: 145 cm

\*Borosilicate glass is highly resistant to thermal shock



**FINISHES**

**WOOD VENEER**

- 20 Ivory White
- 22 Natural Beech
- 21 Natural Cherry
- 33 Pale Rose

**ESTRUCTURE**

- AL-Aluminium
- BK-Matt Black

**REF.**

I M LED

**PRICE**

590 €

**LIGHT SOURCE**Class II  

230V: Dimmable

**Driver:**

Constant Voltage 24V

**LED Integrated:**

Led module

Energy class A\*

3.000K, CRI&gt;90, 18W, 50-60Hz, 524 lm\*

Available in 2.700K and 4.000K on request

\*Measurements obtained by theoretical calculations at LZF using ivory white shades. Veneer Ref: 20 Ivory White.

**PACKAGING**

Box Size: 51 × 51 × 32 cm

Box Volume: 0,08 m<sup>3</sup>

Weight: Gross - 4 Kg | Net - 1,7 Kg

**MATERIALS & COMPONENTS**

Wood Veneer Shade



Matt Satin Acylic Bottom &amp; Upper Diffuser



Touch on/off Dimming Rod

Black Electrical Cable: 145 cm

Plug-in Driver

**FINISHES****WOOD VENEER**

- |   |                   |  |              |
|---|-------------------|--|--------------|
|  | 20 Ivory White    |  | 26 Red       |
|  | 21 Natural Cherry |  | 28 Blue      |
|  | 22 Natural Beech  |  | 29 Grey      |
|  | 24 Yellow         |  | 33 Pale Rose |
|  | 25 Orange         |  | 34 Sea Blue  |



**REF.**

**PRICE**

LENS CR M BK LED	680 €
LENS CR M IV LED	680 €
LENS CR M NI LED	740 €
LENS CR M GD LED	765 €

**MATERIALS & COMPONENTS**

Wood Veneer Shade

Metal Ring, Stem & Base

Black Electrical Cable with Dimming Switch: 145 cm

Plug-in Driver

**LIGHT SOURCE**

Class II

230V: Dimmable

**Driver:**

Constant Voltage 24V

**LED Integrated:**

Led module

Energy class A\*

3.000K, CRI>90, 10W, 50-60Hz, 172 lm\*

\*Measurements obtained by theoretical calculations at LZP using ivory white shades. Veneer Ref: 20 Ivory White.

**FINISHES**

**WOOD VENEER**

- 20 Ivory White
- 28 Blue
- 21 Natural Cherry
- 29 Grey
- 22 Natural Beech
- 33 Pale Rose

**METAL**



- BK-Matt Black
- NI-Matt Nickel
- IV-Matt Ivory
- GD-Gold

**PACKAGING**

Box Size: 69 x 33 x 8 cm

Box Volume: 0,02 m³

Weight: Gross - 5,3 Kg | Net - 2,3 Kg

**REF.****PRICE**

LENS OV M BK LED	795 €
LENS OV M IV LED	795 €
LENS OV M NI LED	975 €
LENS OV M GD LED	975 €

**LIGHT SOURCE**Class II  

230V: Dimmable

**Driver:**

Constant Voltage 24V

**LED Integrated:**

Led module

Energy class A\*

3.000K, CRI&gt;90, 15W, 50-60Hz, 325 lm\*

\*Measurements obtained by theoretical calculations at LZf using ivory white shades. Veneer Ref: 20 Ivory White.

**PACKAGING**

Box Size: 87 × 33 × 8 cm

Box Volume: 0,02 m<sup>3</sup>

Weight: Gross - 5,3 Kg | Net - 2,9 Kg

**MATERIALS & COMPONENTS**







Wood Veneer Shade

Metal Ring, Stem &amp; Base





Black Electrical Cable with Dimming Switch: 145 cm



Plug-in Driver

**FINISHES****WOOD VENEER**

 20 Ivory White	 28 Blue
 21 Natural Cherry	 29 Grey
 22 Natural Beech	 33 Pale Rose

**METAL**

 BK-Matt Black	 NI-Matt Nickel
 IV-Matt Ivory	 GD-Gold



**REF.**

**PRICE**

LOLA MP BK	630 €
LOLA MP IV	630 €
LOLA MP NI	750 €
LOLA MP GD	770 €

**LIGHT SOURCE**

Class II  

220-250V: Dimmable

E27 Lamp Holder

Recommended Bulb - Not Included  
LED Globe DIM 12 W, 720 lm\*  
Energy Class A

\*Measurements obtained by theoretical calculations at LZP using ivory white shades & recommended bulbs.  
Veneer Ref: 20 Ivory White.

**PACKAGING**

Box Size: 41 × 41 × 32 cm

Box Volume: 0,05 m<sup>3</sup>

Weight: Gross - 3,6 Kg | Net - 1,6 Kg

**MATERIALS & COMPONENTS**

Woven Wood Veneer Shade



Transparent Acrylic Frame

Metal Foot





Black Electrical Cable with Dimming Switch: 145 cm



**FINISHES**

**WOOD VENEER**



-  20 Ivory White
-  22 Natural Beech

**METAL**

-  BK-Matt Black
-  NI-Matt Nickel
-  IV-Matt Ivory
-  GD-Gold

**REF.****PRICE**

LOLA MM BK	720 €
LOLA MM IV	720 €
LOLA MM NI	880 €
LOLA MM GD	880 €

**LIGHT SOURCE**Class II  

220-250V: Dimmable

E27 Lamp Holder

Recommended Bulb - Not Included  
 LED Globe DIM 12 W, 720 lm\*  
 Energy Class A

\*Measurements obtained by theoretical calculations at LZP using ivory white shades & recommended bulbs.  
 Veneer Ref: 20 Ivory White.

**PACKAGING**

Box Size: 51 × 51 × 53 cm

Box Volume: 0,14 m<sup>3</sup>

Weight: Gross - 5,4 Kg | Net - 2,4 Kg

**MATERIALS & COMPONENTS**



Woven Wood Veneer Shade

Transparent Acrylic Frame





Metal Foot



Black Electrical Cable with Dimming Switch: 145 cm

**FINISHES****WOOD VENEER**

 20 Ivory White       22 Natural Beech

**METAL**

 BK-Matt Black       NI-Matt Nickel  
 IV-Matt Ivory       GD-Gold



**REF.**

LOLA LX MM

**PRICE**

1.280 €

**MATERIALS & COMPONENTS**

Woven Wood Veneer Shade

Transparent Acrylic Frame

Marble Base

Black Electrical Cable with Dimming Switch: 145 cm

**LIGHT SOURCE**

Class II  

220-250V: Dimmable


E27 Lamp Holder


Recommended Bulb - Not Included  
LED Globe DIM 12 W, 720 lm\*  
Energy Class A

\*Measurements obtained by theoretical calculations at LZF using ivory white shades & recommended bulbs.  
Veneer Ref: 20 Ivory White.


**FINISHES**

**WOOD VENEER**

 20 Ivory White

 22 Natural Beech

**MARBLE BASE**

 Black "Marquina" Marble



**PACKAGING**

**Box size:**

Foot  
Box 1: 102 x 27 x 23 cm | 0,06 m³ | 6 Kg

Shade  
Box 2: 51 x 51 x 43 cm | 0,11 m³ | 3 Kg

Weight: Gross - 9 Kg | Net - 5,3 Kg

**REF.**

LOLA LX MG

**PRICE**

1.870 €

**LIGHT SOURCE**Class II  

220-250V: Dimmable

E27 Lamp Holder

Recommended Bulb - Not Included  
LED Globe DIM 12 W, 845 lm\*  
Energy Class A

\*Measurements obtained by theoretical calculations at LZP using ivory white shades & recommended bulbs.  
Veneer Ref: 20 Ivory White.

**PACKAGING****Box size:****Foot**Box 1: 102 × 27 × 23 cm | 0,06 m<sup>3</sup> | 11 Kg**Shade**Box 2: 66 × 66 × 42 cm | 0,18 m<sup>3</sup> | 5,5 Kg

Weight: Gross - 16,5 Kg | Net - 9 Kg




**MATERIALS & COMPONENTS**


Woven Wood Veneer Shade

Transparent Acrylic Frame

Marble Foot

Black Electrical Cable with Dimming Switch: 145 cm

**FINISHES****WOOD VENEER** 20 Ivory White 22 Natural Beech**MARBLE BASE** Black "Marquina" Marble



REF.	PRICE
THES M BK LED	990 €
THES M IV LED	990 €
THES M NI LED	1.090 €
THES M GD LED	1.1190 €

**MATERIALS & COMPONENTS**

Wood Veneer Shade

Metal Tripod, Stem & Structure

Black Electrical cable with Dimming Switch: 145 cm

Plug-in Driver

**LIGHT SOURCE**

Class II  

230V: Dimmable

**Driver:**

Constant Voltage 24V

**LED Integrated:**

Led module

Energy class A\*





3.000K, CRI>90, 9W, 50-60Hz, 361 lm\*

Available in 2.700K and 4.000K on request





\*Measurements obtained by theoretical calculations at LZF using ivory white shades. Veneer Ref: 20 Ivory White.

**FINISHES**

**WOOD VENEER**

-  20 Ivory White
-  22 Natural Beech
-  21 Natural Cherry
-  29 Grey

**METAL**



-  BK-Matt Black
-  NI-Matt Nickel
-  IV-Matt Ivory
-  GD-Gold

**PACKAGING**

Box Size: 41 x 41 x 48 cm

Box Volume: 0,08 m<sup>3</sup>


Weight: Gross - 3,5 Kg | Net - 1,2 Kg

**REF.**

TOMO M 18 LED

**PRICE**

390 €

**LIGHT SOURCE**Class II  

230V: Dimmable

**Driver:**

Constant Voltage 24V

**LED Integrated:**

Led strip

Energy class A<sup>+</sup>

3.000K, CRI&gt;90, 12W, 50-60Hz, 204 lm\*

Available in 2.700K and 4.000K on request

\*Measurements obtained by theoretical calculations at LZf using ivory white shades. Veneer Ref: 20 Ivory White.

**PACKAGING**

Box Size: 24 × 24 × 42 cm

Box Volume: 0,02 m<sup>3</sup>

Weight: Gross - 2,1 Kg | Net - 1 Kg

**MATERIALS & COMPONENTS**

Wood Veneer Shade







Black Metal Base

Matt Satin Acrylic Upper Diffuser

Black Electrical Cable with Dimming Switch: 145 cm

Plug-in Driver

**FINISHES****WOOD VENEER**

- |   |                   |  |              |
|---|-------------------|--|--------------|
|  | 20 Ivory White    |  | 24 Yellow    |
|  | 21 Natural Cherry |  | 33 Pale Rose |
|  | 22 Natural Beech  |  | 34 Sea Blue  |





---

# **FLOOR**

## **lamps**

Black Note	92
<hr/>	
Cosmos	93
<hr/>	
Lens	94
Link	96
Lola	97
<hr/>	
Thesis	98



**REF.**

**PRICE**

BKNT TR P BK LED	1.450 €
BKNT TR P IV LED	1.450 €
BKNT TR P NI LED	1.650 €
BKNT TR P GD LED	1.650 €

**MATERIALS & COMPONENTS**

3 Wood Veneer Shades

Metal Stem & Base

Black Electrical Cable with Dimming Switch: 185 cm

**LIGHT SOURCE**

Class II

230V: Dimmable

**Driver:**

Constant Voltage 24V

**LED Integrated:**

Led module  
Energy class A+

3.000K, CRI>90, 25W, 50-60Hz, 965 lm\*  
Available in 2.700K and 4.000K on request

\*Measurements obtained by theoretical calculations at LZP using ivory white shades. Veneer Ref: 20 Ivory White.

**FINISHES**

**WOOD VENEER**

- 20 Ivory White
- 22 Natural Beech
- 21 Natural Cherry
- 29 Grey

**METAL**



- BK-Matt Black
- NI-Matt Nickel
- IV-Matt Ivory
- GD-Gold

**PACKAGING**

Box Size: 201 x 55 x 51 cm - Wood crated for transport

Box Volume: 0,56 m<sup>3</sup>

Weight: Gross - 18,5 Kg | Net - 4 Kg



**REF.**

COS PG

**PRICE**

1.170 €

**LIGHT SOURCE**

Class II  

220 - 250V: Dimmable

E27 Lamp Holder

Recommended Bulbs - Not Included  
3 LED Spherical DIM 11 W, 2400 lm\*  
Energy Class A

\*Measurements obtained by theoretical calculations at LZF using ivory white shades & recommended bulbs.  
Veneer Ref: 20 Ivory White.

**PACKAGING**

**Box size:**

Tripod Stand  
Box 1: 159 × 52 × 52 cm | 0,43 m<sup>3</sup> | 7,2 Kg

Shade  
Box 2: 79 × 79 × 42 cm | 0,26 m<sup>3</sup> | 7,1 Kg

Weight: Gross - 14,3 Kg | Net - 4,6 Kg

**MATERIALS & COMPONENTS**

Wood Veneer Shade  
Shade mount required











Matt Satin Acrylic Upper Diffuser



Matt Nickel Metal Tripod & Base

Transparent Electrical Cable with Dimming Switch: 185 cm

**FINISHES**

**WOOD VENEER**

-  20 Ivory White
-  26 Red
-  21 Natural Cherry
-  28 Blue
-  22 Natural Beech
-  29 Grey
-  24 Yellow
-  33 Pale Rose
-  25 Orange
-  34 Sea Blue



**REF.**

**PRICE**

LENS OV P BK LED	895 €
LENS OV P IV LED	895 €
LENS OV P NI LED	1.045 €
LENS OV P GD LED	1.090 €

**MATERIALS & COMPONENTS**

Wood Veneer Shade

Metal Ring, Stem & Base

Black Electrical Cable with Dimming Switch: 185 cm

**LIGHT SOURCE**

Class II

230V: Dimmable

**Driver:**

Constant Voltage 24V

**LED Integrated:**

Led module

Energy class A<sup>+</sup>

3000 K, CRI>90, 15W, 50-60Hz, 325 lm\*

\*Measurements obtained by theoretical calculations at LZP using ivory white shades. Veneer Ref: 20 Ivory White.

**FINISHES**

**WOOD VENEER**

- 20 Ivory White
- 28 Blue
- 21 Natural Cherry
- 29 Grey
- 22 Natural Beech
- 33 Pale Rose

**METAL**



- BK-Matt Black
- NI-Matt Nickel
- IV-Matt Ivory
- GD-Gold

**PACKAGING**

Box Size: 135 × 33 × 8 cm

Box Volume: 0,04 m<sup>3</sup>

Weight: Gross - 7,4 Kg | Net - 3,3 Kg

**REF.****PRICE**

LENS SOV P BK LED	1.035 €
LENS SOV P IV LED	1.035 €
LENS SOV P NI LED	1.195 €
LENS SOV P GD LED	1.195 €

**MATERIALS & COMPONENTS**

Wood Veneer Shade

Metal Ring, Stem &amp; Base

Black Electrical Cable with Dimming Switch: 185 cm

**LIGHT SOURCE**Class II  

230V: Dimmable

**Driver:**

Constant Voltage 24V

**LED Integrated:**







Led module

Energy class A\*





3000 K, CRI&gt;90, 24W, 50-60Hz, 573 lm\*

\*Measurements obtained by theoretical calculations at LZP using ivory white shades. Veneer Ref: 20 Ivory White.

**FINISHES****WOOD VENEER**

 20 Ivory White	 28 Blue
 21 Natural Cherry	 29 Grey
 22 Natural Beech	 33 Pale Rose

**METAL**



 BK-Matt Black	 NI-Matt Nickel
 IV-Matt Ivory	 GD-Gold

**PACKAGING**

Box Size: 150 × 33 × 8 cm

Box Volume: 0,04 m<sup>3</sup>


Weight: Gross - 6,7 Kg | Net - 3,9 Kg

**REF.**

LK P

**PRICE**

1.120 €

**LIGHT SOURCE**Class II  

220 - 250V: Dimmable

E27 Lamp Holder

Recommended Bulb - Not Included  
 LED Globe DIM 12 W, 960 lm\*  
 Energy Class A

\*Measurements obtained by theoretical calculations at LZP using ivory white shades & recommended bulbs.  
 Vener Ref: 20 Ivory White.

**PACKAGING****Box size:**

Foot

Box 1: 159 × 52 × 52 cm | 0,43 m<sup>3</sup> | 7,4 Kg

Shade

Box 2: 79 × 79 × 42 cm | 0,26 m<sup>3</sup> | 5,8 Kg

Weight: Gross - 12,9 Kg | Net - 3,4 Kg

**MATERIALS & COMPONENTS**











Wood Veneer Shade



Matt Nickel Metal Foot

Black Metal Tripod

Transparent Electrical Cable with Dimming Switch: 185 cm

**FINISHES****WOOD VENEER**

- |   |                   |   |              |
|---|-------------------|---|--------------|
|  | 20 Ivory White    |  | 26 Red       |
|  | 21 Natural Cherry |  | 28 Blue      |
|  | 22 Natural Beech  |  | 29 Grey      |
|  | 24 Yellow         |  | 33 Pale Rose |
|  | 25 Orange         |  | 34 Sea Blue  |

**REF.****PRICE**

LOLA P BK	1.550 €
LOLA P IV	1.550 €
LOLA P NI	1.780 €
LOLA P GD	1.880 €

**LIGHT SOURCE**Class II  **220 - 250V:** Dimmable

E27 Lamp Holder

Recommended Bulb - Not Included  
LED Globe DIM 12 W, 845 lm\*  
Energy Class A

\*Measurements obtained by theoretical calculations at LZP using ivory white shades & recommended bulbs.  
Veneer Ref: 20 Ivory White.

**PACKAGING****Box size:**

Foot

Box 1: 159 × 52 × 52 cm | 0,43 m<sup>3</sup> | 7,4 Kg

Shade

Box 2: 66 × 66 × 42 cm | 0,18 m<sup>3</sup> | 5,5 Kg

Weight: Gross - 13 Kg | Net - 4,1 Kg

**MATERIALS & COMPONENTS**



Woven Wood Veneer Shade  
Shade mount required

Transparent Acrylic Frame





Metal Foot



Electrical Cable with dimming switch: 185 cm  
IV - BK - NI - Black  
GD - Gold

**FINISHES****WOOD VENEER**

-  20 Ivory White
-  22 Natural Beech

**METAL**

-  BK-Matt Black
-  NI-Matt Nickel
-  IV-Matt Ivory
-  GD-Gold



REF.	PRICE
THES P 150 BK LED	1.600 €
THES P 150 IV LED	1.620 €
THES P 150 NI LED	1.795 €
THES P 150 GD LED	1.790 €

**MATERIALS & COMPONENTS**

Wood Veneer Shade

Metal Tripod, Stem & Base

Black Electrical Cable with Dimming Switch: 185 cm

**LIGHT SOURCE**

Class II

230V: Dimmable

**Driver:**

Constant Voltage 24V

**LED Integrated:**

Led strip

Energy class A\*

3.000K, CRI>90, 25W, 50-60Hz, 1084 lm\*

Available in 2.700K and 4.000K on request

\*Measurements obtained by theoretical calculations at LZF using ivory white shades. Veneer Ref: 20 Ivory White.

**FINISHES**

**WOOD VENEER**

20 Ivory White

**METAL**

BK-Matt Black

NI-Matt Nickel

IV-Matt Ivory

GD-Gold

**PACKAGING**

Box Size: 162 x 59 x 56 cm - Wood crated for transport

Box Volume: 0,53 m<sup>3</sup>

Weight: Gross - 18,1 Kg | Net - 3,8 Kg








---

# **WALL**

## **lamps**

Air	102
Black Note	103
Gea	104
Guijarro	110
Hi-Collar	116
I-Club	117
Lens	120
Lola	123
Orbit	124
Pleg	125
Thesis	127
X-Club	128

**REF.**

AIR A

**PRICE**

220 €

**LIGHT SOURCE**

Class I



220 - 250V

E14 Lamp Holder

Recommended Bulb - Not Included  
LED Mini Globe DIM 5,5 W, 329 lm\*  
Energy Class A

\*Measurements obtained by theoretical calculations at LZF using ivory white shades & recommended bulbs.  
Veneer Ref: 20 Ivory White.

**PACKAGING**

Box Size: 42 x 30 x 27 cm

Box Volume: 0,03 m<sup>3</sup>











Weight: Gross - 1,3 Kg | Net - 0,3 Kg



**MATERIALS & COMPONENTS**

Wood Veneer Shade

Metal Back Plate

**FINISHES****WOOD VENEER**

- |   |                   |   |              |
|---|-------------------|---|--------------|
|  | 20 Ivory White    |  | 26 Red       |
|  | 21 Natural Cherry |  | 28 Blue      |
|  | 22 Natural Beech  |  | 29 Grey      |
|  | 24 Yellow         |  | 33 Pale Rose |
|  | 25 Orange         |  | 34 Sea Blue  |



**REF.**

**PRICE**

BKNT DU A BK LED DIM0-10V	500 €
BKNT DU A IV LED DIM0-10V	500 €
BKNT DU A NI LED DIM0-10V	530 €
BKNT DU A GD LED DIM0-10V	530 €

**LIGHT SOURCE**

Class I



120 - 277V: Dimmable 0-10V

**Driver:**

Constant Current 250mA

**LED Integrated:**

Led module  
Energy class A\*

3.000K, CRI>90, 10W, 50-60Hz, 342 lm\*  
Available in 2.700K and 4.000K on request

\*Measurements obtained by photometric laboratory tests using ivory white shades. Veneer Ref: 20 Ivory White.

**PACKAGING**

Box Size: 37 × 33 × 8 cm

Box Volume: 0,01 m<sup>3</sup>

Weight: Gross - 2,3 Kg | Net - 1,3 Kg


**MATERIALS & COMPONENTS**

2 Wood Veneer Shades





Metal Back Plate


**FINISHES**

**WOOD VENEER**

- |   |   |
|---|---|
|  20 Ivory White    |  22 Natural Beech |
|  21 Natural Cherry |  29 Grey          |

**METAL**

- |   |   |
|---|---|
|  BK-Matt Black |  NI-Matt Nickel |
|  IV-Matt Ivory |  GD-Gold        |



**REF.**

**PRICE**

G20 A LED DIM0-10V

380 €

**LIGHT SOURCE**

Class I



120 - 277V: Dimmable 0-10V

**Driver:**

Constant Current 250mA

**LED Integrated:**

Led module

Energy class A\*

3.000K, CRI>90, 12W, 50-60Hz, 659 lm\*

Available in 2.700K and 4.000K on request

\*Measurements obtained by photometric laboratory tests using ivory white shades. Veneer Ref: 20 Ivory White.

**PACKAGING**

Box Size: 24 × 24 × 28 cm

Box Volume: 0,02 m<sup>3</sup>

Weight: Gross - 1,7 Kg | Net - 0,6 Kg

**MATERIALS & COMPONENTS**

Wood Veneer Shade


Matt Satin Acrylic Frontal Diffuser

Metal Back Plate

**FINISHES**

**WOOD VENEER**

- 20 Ivory White
  - 21 Natural Cherry
  - 22 Natural Beech
  - 24 Yellow
  - 25 Orange
- 26 Red
  - 28 Blue
  - 29 Grey
  - 33 Pale Rose
  - 34 Sea Blue

**REF.**

G20 A

**PRICE**

180 €

**LIGHT SOURCE**

Class I



220 - 250V

GX53 Lamp Holder

Recommended Bulbs - Not Included  
LED Slim lamp 7 W, 325 lm\*

\*Measurements obtained by theoretical calculations at LZP using ivory white shades & recommended bulbs.  
Veneer Ref: 20 Ivory White.

**PACKAGING**

Box Size: 24 x 24 x 28 cm

Box Volume: 0,02 m<sup>3</sup>

Weight: Gross - 1,2 Kg | Net - 0,6 Kg











**MATERIALS & COMPONENTS**


Wood Veneer Shade

Matt Satin Acrylic Frontal Diffuser

Metal Back Plate

**FINISHES****WOOD VENEER**

- |   |                   |  |              |
|---|-------------------|--|--------------|
|  | 20 Ivory White    |  | 26 Red       |
|  | 21 Natural Cherry |  | 28 Blue      |
|  | 22 Natural Beech  |  | 29 Grey      |
|  | 24 Yellow         |  | 33 Pale Rose |
|  | 25 Orange         |  | 34 Sea Blue  |



**REF.**

**PRICE**

G30 A LED DIM0-10V

490 €

**LIGHT SOURCE**

Class I



120 - 277V: Dimmable 0-10V

**Driver:**

Constant Current 500mA

**LED Integrated:**

Led module

Energy class A+

3.000K, CRI>90, 17W, 50-60Hz, 1044 lm\*

Available in 2.700K and 4.000K on request

\*Measurements obtained by photometric laboratory tests using ivory white shades. Veneer Ref: 20 Ivory White.

**PACKAGING**

Box Size: 41 x 41 x 27 cm

Box Volume: 0,05 m<sup>3</sup>

Weight: Gross - 2,4 Kg | Net - 0,9 Kg

**MATERIALS & COMPONENTS**

Wood Veneer Shade


Matt Satin Acrylic Frontal Diffuser

Metal Back Plate

**FINISHES**

**WOOD VENEER**

- 20 Ivory White
- 26 Red
- 21 Natural Cherry
- 28 Blue
- 22 Natural Beech
- 29 Grey
- 24 Yellow
- 33 Pale Rose
- 25 Orange
- 34 Sea Blue

**REF.**

G30 A

**PRICE**

220 €

**LIGHT SOURCE**

Class I



220 - 250V

GX53 Lamp Holder

Recommended Bulbs - Not Included  
LED Slim lamp 7 W, 325 lm\*

\*Measurements obtained by theoretical calculations at LZF using ivory white shades & recommended bulbs.  
Veneer Ref: 20 Ivory White.

**PACKAGING**

Box Size: 41 × 41 × 27 cm

Box Volume: 0,05 m<sup>3</sup>

Weight: Gross - 2,4 Kg | Net - 0,9 Kg











**MATERIALS & COMPONENTS**


Wood Veneer Shade

Matt Satin Acrylic Frontal Diffuser

Metal Back Plate

**FINISHES****WOOD VENEER**

- |   |                   |  |              |
|---|-------------------|--|--------------|
|  | 20 Ivory White    |  | 26 Red       |
|  | 21 Natural Cherry |  | 28 Blue      |
|  | 22 Natural Beech  |  | 29 Grey      |
|  | 24 Yellow         |  | 33 Pale Rose |
|  | 25 Orange         |  | 34 Sea Blue  |



**REF.**

**PRICE**

G42 A LED DIM0-10V

530 €

**LIGHT SOURCE**

Class I



120 - 277V: Dimmable 0-10V

**Driver:**

Constant Current 500mA

**LED Integrated:**

Led module

Energy class A+

3.000K, CRI>90, 20W, 50-60Hz, 1392 lm\*

Available in 2.700K and 4.000K on request

\*Measurements obtained by photometric laboratory tests using ivory white shades. Veneer Ref: 20 Ivory White.

**PACKAGING**

Box Size: 51 x 51 x 32 cm

Box Volume: 0,08 m<sup>3</sup>

Weight: Gross - 4,6 Kg | Net - 1,5 Kg

**MATERIALS & COMPONENTS**

Wood Veneer Shade


Matt Satin Acrylic Frontal Diffuser

Metal Back Plate

**FINISHES**

**WOOD VENEER**

- 20 Ivory White
- 26 Red
- 21 Natural Cherry
- 28 Blue
- 22 Natural Beech
- 29 Grey
- 24 Yellow
- 33 Pale Rose
- 25 Orange
- 34 Sea Blue

**REF.**

G42 A

**PRICE**

290 €

**LIGHT SOURCE**

Class I



220 - 250V

GX53 Lamp Holder

Recommended Bulbs - Not Included  
LED Slim lamp 7 W, 325 lm\*

\*Measurements obtained by theoretical calculations at LZP using ivory white shades & recommended bulbs.  
Veneer Ref: 20 Ivory White.

**PACKAGING**

Box Size: 51 × 51 × 32 cm

Box Volume: 0,08 m<sup>3</sup>

Weight: Gross - 4,6 Kg | Net - 1,8 Kg











**MATERIALS & COMPONENTS**


Wood Veneer Shade

Matt Satin Acrylic Frontal Diffuser

Metal Back Plate

**FINISHES****WOOD VENEER**

- |   |                   |  |              |
|---|-------------------|--|--------------|
|  | 20 Ivory White    |  | 26 Red       |
|  | 21 Natural Cherry |  | 28 Blue      |
|  | 22 Natural Beech  |  | 29 Grey      |
|  | 24 Yellow         |  | 33 Pale Rose |
|  | 25 Orange         |  | 34 Sea Blue  |



**REF.**

**PRICE**

G2 A LED DIM0-10V

430 €

**LIGHT SOURCE**

Class I



120 - 277V: Dimmable 0-10V

**Driver:**

Constant Current 250mA

**LED Integrated:**

Led module

Energy class A\*

3.000K, CRI>90, 12W, 50-60Hz, 690 lm\*

Available in 2.700K and 4.000K on request

\*Measurements obtained by photometric laboratory tests using ivory white shades. Veneer Ref: 20 Ivory White.

**PACKAGING**

Box Size: 24 x 24 x 42 cm

Box Volume: 0,02 m<sup>3</sup>

Weight: Gross - 1,7 Kg | Net - 0,6 Kg

**MATERIALS & COMPONENTS**



Wood Veneer Shade


Matt Satin Acrylic Frontal Diffuser

Metal Back Plate

**FINISHES**

**WOOD VENEER**

- |   |   |
|---|---|
|  20 Ivory White    |  26 Red       |
|  21 Natural Cherry |  28 Blue      |
|  22 Natural Beech  |  29 Grey      |
|  24 Yellow         |  33 Pale Rose |
|  25 Orange         |  34 Sea Blue  |



**REF.**

G2 A

**PRICE**

210 €

**LIGHT SOURCE**

Class I



220 - 250V

GX53 Lamp Holder

Recommended Bulbs - Not Included  
LED Slim lamp 7 W, 325 lm\*

\*Measurements obtained by theoretical calculations at LZF using ivory white shades & recommended bulbs.  
Veneer Ref: 20 Ivory White.

**PACKAGING**

Box Size: 24 x 24 x 42 cm

Box Volume: 0,02 m<sup>3</sup>

Weight: Gross - 1,2 Kg | Net - 0,6 Kg

**MATERIALS & COMPONENTS**





Wood Veneer Shade


Matt Satin Acrylic Frontal Diffuser

Metal Back Plate

**FINISHES**

**WOOD VENEER**

- |   |   |
|---|---|
|  20 Ivory White    |  26 Red       |
|  21 Natural Cherry |  28 Blue      |
|  22 Natural Beech  |  29 Grey      |
|  24 Yellow         |  33 Pale Rose |
|  25 Orange         |  34 Sea Blue  |



**REF.**

G5 A LED DIM0-10V

**PRICE**

490 €

**LIGHT SOURCE**

Class I



120 - 277V: Dimmable 0-10V

**Driver:**

Constant Current 500mA

**LED Integrated:**

Led module

Energy class A\*

3.000K, CRI>90, 17W, 50-60Hz, 1093 lm\*

Available in 2.700K and 4.000K on request

\*Measurements obtained by photometric laboratory tests using ivory white shades. Veneer Ref: 20 Ivory White.

**PACKAGING**

Box Size: 42 x 30 x 27 cm

Box Volume: 0,03 m<sup>3</sup>

Weight: Gross - 2,3 Kg | Net - 1 Kg

**MATERIALS & COMPONENTS**











Wood Veneer Shade


Matt Satin Acrylic Frontal Diffuser

Metal Back Plate

**FINISHES**

**WOOD VENEER**

- |   |  |
|---|--|
|  20 Ivory White    |  26 Red       |
|  21 Natural Cherry |  28 Blue      |
|  22 Natural Beech  |  29 Grey      |
|  24 Yellow         |  33 Pale Rose |
|  25 Orange         |  34 Sea Blue  |



**REF.**

G5 A

**PRICE**

260 €

**LIGHT SOURCE**

Class I



220 - 250V

GX53 Lamp Holder

Recommended Bulbs - Not Included  
LED Slim lamp 7 W, 325 lm\*

\*Measurements obtained by theoretical calculations at LZF using ivory white shades & recommended bulbs.  
Veneer Ref: 20 Ivory White.

**PACKAGING**

Box Size: 42 × 30 × 27 cm

Box Volume: 0,03 m<sup>3</sup>

Weight: Gross - 1,9 Kg | Net - 0,9 Kg

**MATERIALS & COMPONENTS**


Wood Veneer Shade


Matt Satin Acrylic Frontal Diffuser

Metal Back Plate

**FINISHES**

**WOOD VENEER**

- |   |   |
|---|---|
|  20 Ivory White    |  26 Red       |
|  21 Natural Cherry |  28 Blue      |
|  22 Natural Beech  |  29 Grey      |
|  24 Yellow         |  33 Pale Rose |
|  25 Orange         |  34 Sea Blue  |



**REF.**

G6 A LED DIM0-10V

**PRICE**

590 €

**MATERIALS & COMPONENTS**

Wood Veneer Shade

Matt Satin Acrylic Frontal Diffuser

Metal Back Plate

**LIGHT SOURCE**

Class I



120 - 277V: Dimmable 0-10V

**Driver:**

Constant Current 500mA

**LED Integrated:**

Led module

Energy class A+

3.000K, CRI>90, 20W, 50-60Hz, 1457 lm\*

Available in 2.700K and 4.000K on request

\*Measurements obtained by photometric laboratory tests using ivory white shades. Veneer Ref: 20 Ivory White.

**FINISHES**

**WOOD VENEER**


- 20 Ivory White
- 26 Red
- 21 Natural Cherry
- 28 Blue
- 22 Natural Beech
- 29 Grey
- 24 Yellow
- 33 Pale Rose
- 25 Orange
- 34 Sea Blue

**PACKAGING**

Box Size: 51 x 51 x 32 cm

Box Volume: 0,08 m<sup>3</sup>

Weight: Gross - 3,9 Kg | Net - 1,5 Kg



**REF.**

G6 A

**PRICE**

310 €

**LIGHT SOURCE**

Class I



220 - 250V

GX53 Lamp Holder

Recommended Bulbs - Not Included  
LED Slim lamp 7 W, 325 lm\*

\*Measurements obtained by theoretical calculations at LZF using ivory white shades & recommended bulbs.  
Veneer Ref: 20 Ivory White.

**PACKAGING**

Box Size: 51 x 51 x 32 cm

Box Volume: 0,08 m<sup>3</sup>

Weight: Gross - 3,9 Kg | Net - 1,5 Kg

**MATERIALS & COMPONENTS**









Wood Veneer Shade




Matt Satin Acrylic Frontal Diffuser

Metal Back Plate

**FINISHES**

**WOOD VENEER**

- |   |                   |  |              |
|---|-------------------|--|--------------|
|  | 20 Ivory White    |  | 26 Red       |
|  | 21 Natural Cherry |  | 28 Blue      |
|  | 22 Natural Beech  |  | 29 Grey      |
|  | 24 Yellow         |  | 33 Pale Rose |
|  | 25 Orange         |  | 34 Sea Blue  |



**REF.**

**PRICE**

HICOL A LED DIM0-10V

370 €

**LIGHT SOURCE**

Class I



120 - 277V: Dimmable 0-10V

**Driver:**

Constant Current 500mA

**LED Integrated:**

Led module

Energy class A<sup>+</sup>

3.000K, CRI>90, 8,5W, 50-60Hz, 403 lm\*

Available in 2.700K and 4.000K on request

\*Measurements obtained by photometric laboratory tests using ivory white shades. Veneer Ref: 20 Ivory White.

**PACKAGING**

Box size: 42 x 30 x 27 cm

Box volume: 0,03 m<sup>3</sup>

Weight: Gross - 1,9 Kg | Net - 0,6 Kg





**MATERIALS & COMPONENTS**


Wood Veneer Shade

Metal Back Plate

**FINISHES**

**WOOD VENEER**

-  20 Ivory White
-  26 Red
-  21 Natural Cherry
-  28 Blue
-  22 Natural Beech
-  29 Grey
-  24 Yellow
-  33 Pale Rose
-  25 Orange
-  34 Sea Blue

**REF.****PRICE**

I A LED DIM0-10V	480 €
I A LED DIMDALI	550 €
I A LED DIMBT	660 €

**MATERIALS & COMPONENTS**

Wood Veneer Shade

Matt Satin Acylic Bottom &amp; Upper Diffuser

Metal Back Plate

**LIGHT SOURCE**

Class I

**120 - 277V:** Dimmable 0-10V or DALI**220-240V:** Dimmable Bluetooth - BT**Driver:**

Constant Current 500mA

**LED Integrated:**

Led module

Energy class A\*

3.000K, CRI&gt;90, 20W, 50-60Hz, 737 lm\*

Available in 2.700K and 4.000K on request

\*Measurements obtained by theoretical calculations at LZF using ivory white shades. Veneer Ref: 20 Ivory White.

**FINISHES****WOOD VENEER**



	20 Ivory White		26 Red
	21 Natural Cherry		28 Blue
	22 Natural Beech		29 Grey
	24 Yellow		33 Pale Rose
	25 Orange		34 Sea Blue

**PACKAGING**

Box Size: 50 x 30 x 22 cm

Box Volume: 0,03 m<sup>3</sup>

Weight: Gross - 3 Kg | Net - 1,1 Kg



**REF.**

**PRICE**

I ASL LED DIM0-10V	1.270 €
I ASL LED DIMDALI	1.350 €
I ASL LED DIMBT	1.540 €

**MATERIALS & COMPONENTS**

Wood Veneer Shade

Matt Satin Acylic Bottom & Upper Diffuser

Metal Back Plate

**LIGHT SOURCE**

Class I



120 - 277V: Dimmable 0-10V or DALI

220-240V: Dimmable Bluetooth - BT

**Driver:**

Constant Current 900mA

**LED Integrated:**

Led module

Energy class A\*

3.000K, CRI>90, 60W, 50-60Hz, 2017 lm\*

Available in 2.700K and 4.000K on request

\*Measurements obtained by theoretical calculations at LZF using ivory white shades. Veneer Ref: 20 Ivory White.

**FINISHES**

**WOOD VENEER**


- 20 Ivory White
- 26 Red
- 21 Natural Cherry
- 28 Blue
- 22 Natural Beech
- 29 Grey
- 24 Yellow
- 33 Pale Rose
- 25 Orange
- 34 Sea Blue

**PACKAGING**

Box Size: 182 x 37 x 25 cm

Box Volume: 0,17 m³

Weight: Gross - 11,4 Kg | Net - 3,8 Kg

**REF.**

I AG LED DIM0-10V	1.000 €
I AG LED DIMDALI	1.110 €
I AG LED DIMBT	1.170 €

**PRICE****MATERIALS & COMPONENTS**

Wood Veneer Shade

Matt Satin Acrylic Frontal Diffuser

Metal Back Plate

**LIGHT SOURCE**

Class I

**120 - 277V:** Dimmable 0-10V or DALI**220-240V:** Dimmable Bluetooth - BT**Driver:**

Constant Current 900mA

**LED Integrated:**

Led module











Energy class A\*

3.000K, CRI&gt;90, 36W, 50-60Hz, 2266 lm\*

Available in 2.700K and 4.000K on request

\*Measurements obtained by theoretical calculations at LZF using ivory white shades. Veneer Ref: 20 Ivory White.

**FINISHES****WOOD VENEER**


	20 Ivory White		26 Red
	21 Natural Cherry		28 Blue
	22 Natural Beech		29 Grey
	24 Yellow		33 Pale Rose
	25 Orange		34 Sea Blue

**PACKAGING**

Box Size: 31 × 31 × 152 cm

Box Volume: 0,15 m<sup>3</sup>

Weight: Gross - 8 Kg | Net - 4 Kg



**REF.**

**PRICE**

LENS CR A BK LED DIM0-10V	459 €
LENS CR A IV LED DIM0-10V	459 €
LENS CR A NI LED DIM0-10V	504 €
LENS CR A GD LED DIM0-10V	504 €

**MATERIALS & COMPONENTS**

Wood Veneer Shade

Central Mirror

Metal Ring

**LIGHT SOURCE**

Class I



120 - 277V: Dimmable 0-10V

**Driver:**

Constant Voltage 24V

**LED Integrated:**

Led strip

Energy class A\*








3.000K, CRI>90, 10W, 50-60Hz, 172 lm\*

Available in 2.700K and 4.000K on request





\*Measurements obtained by theoretical calculations at LZF using ivory white shades. Veneer Ref: 20 Ivory White.

**FINISHES**

**WOOD VENEER**

-  20 Ivory White
-  29 Grey
-  21 Natural Cherry
-  33 Pale Rose
-  22 Natural Beech
-  34 Sea Blue
-  24 Yellow

**METAL**


-  BK-Matt Black
-  NI-Matt Nickel
-  IV-Matt Ivory
-  GD-Gold

**PACKAGING**

Box Size: 37 x 33 x 8 cm

Box Volume: 0,01 m³

Weight: Gross - 4 Kg | Net - 1,2 Kg

**REF.****PRICE**

LENS OV A BK LED DIM0-10V	558 €
LENS OV A IV LED DIM0-10V	558 €
LENS OV A NI LED DIM0-10V	603 €
LENS OV A GD LED DIM0-10V	603 €

**LIGHT SOURCE**

Class I



120 - 277V: Dimmable 0-10V

**Driver:**

Constant Voltage 24V

**LED Integrated:**

Led strip  
Energy class A\*

3.000K, CRI>90, 15W, 50-60Hz, 325 lm\*  
Available in 2.700K and 4.000K on request

\*Measurements obtained by theoretical calculations at LZF using ivory white shades. Veneer Ref: 20 Ivory White.

**PACKAGING**

Box Size: 57 × 33 × 8 cm

Box Volume: 0,02 m<sup>3</sup>

Weight: Gross - 3 Kg | Net - 2,3 Kg







**MATERIALS & COMPONENTS**

Wood Veneer Shade





Central Mirror


Metal Ring

**FINISHES****WOOD VENEER**

 20 Ivory White	 29 Grey
 21 Natural Cherry	 33 Pale Rose
 22 Natural Beech	 34 Sea Blue
 24 Yellow	

**METAL**

 BK-Matt Black	 NI-Matt Nickel
 IV-Matt Ivory	 GD-Gold



**REF.**

**PRICE**

LENS SOV A BK LED DIM0-10V	720 €
LENS SOV A IV LED DIM0-10V	720 €
LENS SOV A NI LED DIM0-10V	770 €
LENS SOV A GD LED DIM0-10V	770 €

**MATERIALS & COMPONENTS**

Wood Veneer Shade

Central Mirror

Metal Ring

**LIGHT SOURCE**

Class I



120 - 277V: Dimmable 0-10V

**Driver:**

Constant Voltage 24V

**LED Integrated:**








Led strip  
Energy class A\*

3.000K, CRI>90, 24W, 50-60Hz, 573 lm\*  
Available in 2.700K and 4.000K on request





\*Measurements obtained by theoretical calculations at LZP using ivory white shades. Veneer Ref: 20 Ivory White.

**FINISHES**

**WOOD VENEER**

-  20 Ivory White
-  29 Grey
-  21 Natural Cherry
-  33 Pale Rose
-  22 Natural Beech
-  34 Sea Blue
-  24 Yellow

**METAL**


-  BK-Matt Black
-  NI-Matt Nickel
-  IV-Matt Ivory
-  GD-Gold

**PACKAGING**

Box Size: 87 x 33 x 8 cm

Box Volume: 0,02 m<sup>3</sup>

Weight: Gross - 5,2 Kg | Net - 4 Kg

**REF.**

LOLA A

**PRICE**

370 €

**LIGHT SOURCE**

Class I



220 - 250V

2 GX53 Lamp Holder

Recommended Bulb - Not Included  
LED Slim lamp 7 W, 400 lm\*  
Energy Class A\*

\*Measurements obtained by theoretical calculations at LZP using ivory white shades & recommended bulbs.  
Veneer Ref: 20 Ivory White.

**PACKAGING**

Box Size: 42 × 30 × 27 cm

Box Volume: 0,03 m<sup>3</sup>

Weight: Gross - 2,8 Kg | Net - 0,8 Kg

**MATERIALS & COMPONENTS**

Woven Wood Veneer Shade

Acrylic Frame



Metal Back Plate

**FINISHES****WOOD VENEER**

20 Ivory White



22 Natural Beech

**REF.**

ORB A

**PRICE**

250 €

**LIGHT SOURCE**

Class I



220 - 250V

E27 Lamp Holder

Recommended Bulb - Not Included  
LED Spherical DIM 11 W, 600 lm\*  
Energy Class A\*

\*Measurements obtained by theoretical calculations at LZF using ivory white shades & recommended bulbs.  
Veneer Ref: 20 Ivory White.

**PACKAGING**

Box Size: 42 x 30 x 27 cm

Box Volume: 0,03 m<sup>3</sup>











Weight: Gross - 1,8 Kg | Net - 0,6 Kg


**MATERIALS & COMPONENTS**

Wood Veneer Shade

Metal Back Plate

**FINISHES****WOOD VENEER**

- |   |  |
|---|--|
|  20 Ivory White    |  26 Red       |
|  21 Natural Cherry |  28 Blue      |
|  22 Natural Beech  |  29 Grey      |
|  24 Yellow         |  33 Pale Rose |
|  25 Orange         |  34 Sea Blue  |

**REF.**

PLEG A LED DIM0-10V

**PRICE**

350 €

**LIGHT SOURCE**

Class I



120 - 277V: Dimmable 0-10V

**Driver:**

Constant Current 500mA

**LED Integrated:**

Led module

Energy class A<sup>+</sup>

3.000K, CRI>90, 8,5W, 50-60Hz, 306 lm\*  
Available in 2.700K and 4.000K on request

**PACKAGING**

Box Size: 24 x 24 x 42 cm

Box Volume: 0,02 m<sup>3</sup>

Weight: Gross - 1,5 Kg | Net - 0,9 Kg









**MATERIALS & COMPONENTS**


Wood Veneer Shade

Matt Satin Acrylic Side Diffuser

Metal Back Plate

**FINISHES****WOOD VENEER**

- |   |                   |  |              |
|---|-------------------|--|--------------|
|  | 20 Ivory White    |  | 26 Red       |
|  | 21 Natural Cherry |  | 28 Blue      |
|  | 22 Natural Beech  |  | 29 Grey      |
|  | 24 Yellow         |  | 33 Pale Rose |
|  | 25 Orange         |  | 34 Sea Blue  |



**REF.**

PLEG A

**PRICE**

250 €

**LIGHT SOURCE**

Class I



220 - 250V

GX53 Lamp Holder

Recommended Bulbs - Not Included  
LED Slim lamp 7 W, 325 lm\*

\*Measurements obtained by theoretical calculations at LZF using ivory white shades & recommended bulbs.  
Veneer Ref: 20 Ivory White.

**PACKAGING**

Box Size: 24 × 24 × 42 cm

Box Volume: 0,02 m<sup>3</sup>

Weight: Gross - 1,4 Kg | Net - 0,8 Kg

**MATERIALS & COMPONENTS**

Wood Veneer Shade

Matt Satin Acylic Side Diffuser


Metal Back Plate

**FINISHES**

**WOOD VENEER**

- 20 Ivory White
- 26 Red
- 21 Natural Cherry
- 28 Blue
- 22 Natural Beech
- 29 Grey
- 24 Yellow
- 33 Pale Rose
- 25 Orange
- 34 Sea Blue

**SWING MECHANISM**



REF.	PRICE
THES A BK LED DIM	980 €
THES A IV LED DIM	1.040 €
THES A NI LED DIM	1.280 €
THES A GD LED DIM	1.280 €

**LIGHT SOURCE**

Class II  

230V Dimmable

**Driver:**  
Constant Voltage 24V

**LED Integrated:**  
Led module  
Energy class A\*

3.000K, CRI>90, 25W, 50-60Hz, 1084 lm\*  
Available in 2.700K and 4.000K on request

\*Measurements obtained by theoretical calculations at LZP using ivory white shades. Veneer Ref: 20 Ivory White.

**PACKAGING**

Box Size: 119 × 67 × 22 cm

Box Volume: 0,18 m<sup>3</sup>

Weight: Gross - 9,6 Kg | Net - 2,8 Kg

**MATERIALS & COMPONENTS**

Wood Veneer Shade

Optional Acrylic Diffuser

Metal Tripod & Structure





Black Electrical cable with Dimming Switch: 250 cm


**FINISHES**

**WOOD VENEER**

-  20 Ivory White
-  22 Natural Beech
-  21 Natural Cherry
-  29 Grey

**METAL**

-  BK-Matt Black
-  NI-Matt Nickel
-  IV-Matt Ivory
-  GD-Gold

**REF.****PRICE**

X A LED DIM0-10V	1.1150 €
X A LED DIMDALI	1.250 €
X A LED DIMBT	1.350 €

**MATERIALS & COMPONENTS**

Wood Veneer Shade

Matt Satin Acylic Frontal Diffuser

Metal Back Plate

**LIGHT SOURCE**

Class I



120 - 277V: Dimmable 0-10V or DALI

220-240V: Dimmable Bluetooth - BT

**Driver:**

Constant Current 900mA

**LED Integrated:**

Led module

Energy class A\*

3.000K, CRI&gt;90, 32W, 50-60Hz, 2219 lm\*

Available in 2.700K and 4.000K on request

\*Measurements obtained by photometric laboratory tests using ivory white shades. Veneer Ref: 20 Ivory White.

**FINISHES****WOOD VENEER**

	20 Ivory White		26 Red
	21 Natural Cherry		28 Blue
	22 Natural Beech		29 Grey
	24 Yellow		33 Pale Rose
	25 Orange		34 Sea Blue

**PACKAGING**

Box Size: 79 x 79 x 42 cm

Box Volume: 0,26 m<sup>3</sup>

Weight: Gross - 13 Kg | Net - 4,8 Kg







---

# **LIFE SIZE**

## **lamps**

Big Bird	132
The Walking Fish	134
Smelly Fant	135
Koi	136




**REF.**

**PRICE**

BIRD LS H LED DIM0-10V	46.920 €
BIRD LS H LED DALI	47.510 €
BIRD LS H LED DIMBT	47.450 €

**LIGHT SOURCE**

Class I 

120 - 277V: Dimmable 0-10V or DALI  
220 - 240V: Bluetooth Dimming

**Driver:**  
Constant Current 2100mA

**LED Integrated:**  
Led module  
Energy class A\*

4.000K, CRI>90, 90W, 50-60Hz

E27 Lamp Holder

Recommended Bulb - Not Included  
LED Globe DIM 16 W  
Energy class A\*

**MATERIALS & COMPONENTS**

Oak & Birch Wood

Wood Veneer Diffuser

Frosted Glass Ball


Nickel Metal Canopy  
34 x 11,5 x 5 cm - DIM0-10V  
56 x 16 x 6 cm - BT & DALI

3 Steel Cables: 5 m drop

Transparent Electrical Cables: 5 m drop

**FINISHES**

**WOOD VENEER**



 20 Ivory White

**PACKAGING**

Box size: 178 x 83 x 86 cm

Box volume: 1,27 m<sup>3</sup>

Weight: Gross - 90 Kg | Net - 25 Kg

**REF.**

BIRD LS V LED DIM0-10V  
 BIRD LS V LED DALI  
 BIRD LS V LED DIMBT

**PRICE**

44.280 €  
 44.820 €  
 44.760 €

**LIGHT SOURCE**

Class I



**120 - 277V:** Dimmable 0-10V or DALI  
**220 - 240V:** Bluetooth Dimming

**Driver:**

Constant Current 2100mA

**LED Integrated:**

Led module  
 Energy class A\*

4000K, CRI>90, 90W, 50-60Hz

E27 Lamp Holder

Recommended Bulb - Not Included  
 LED Globe DIM 16 W  
 Energy class A\*

**MATERIALS & COMPONENTS**

Oak & Birch Wood

Wood Veneer Diffuser

Frosted Glass Ball

Nickel Metal Canopy:

34 × 11,5 × 5 cm - DIM0-10V

56 × 16 × 6 cm - BT & DALI

2 Steel Cables: 5 m drop

Transparent Electrical Cables: 5 m drop

**FINISHES****WOOD VENEER**



20 Ivory White

**PACKAGING**

Box size: 178 × 83 × 86 cm

Box volume: 1,27 m<sup>3</sup>

Weight: Gross - 90 Kg | Net - 25 Kg

**REF.**

FSH LS LED

**PRICE**

16.100 €

**LIGHT SOURCE**Class II  

230V

**Driver:**

Constant Current 2500mA

**LED Integrated:**

Led module

Energy class A\*

4000K, CRI&gt;90, 90W, 50-60Hz

**PACKAGING**

Box size: 78 × 155 × 135 cm - Wood crated for transport

Box volume: 1,62 m<sup>3</sup>


Weight: Gross - 85 Kg | Net - 38 Kg



**MATERIALS & COMPONENTS**

Oak &amp; Birch Wood

Wood Veneer Diffuser

Red cloth cord Electrical Cable with On/Off Switch: 200 cm

**FINISHES****WOOD VENEER**
 20 Ivory White

**REF.**

ELE LS LED

**PRICE**

26.930 €

**LIGHT SOURCE**Class II  

230V

**Driver:**

Constant Current 2500mA

**LED Integrated:**

Led module

Energy class A\*


4000K, CRI&gt;90, 90W, 50-60Hz

**MATERIALS & COMPONENTS**

Oak &amp; Birch Wood

Wood Veneer Diffuser



Red cloth cord Electrical Cable with On/Off Switch: 200 cm

**FINISHES****WOOD VENEER**
 20 Ivory White
**PACKAGING**

Box size: 100 × 125 × 205 cm - Wood crated for transport

Box volume: 2,56 m<sup>3</sup>

Weight: Gross - 122 Kg | Net - 67 Kg




**REF.**

**PRICE**

KOGOI LS LED DIM0-10V	41.890 €
KOGOI LS LED DIMDALI	42.280 €
KOGOI LS LED DIMBT	42.390 €

**LIGHT SOURCE**

Class I 

**120 - 277V:** Dimmable 0-10V or DALI  
**220 - 240V:** Bluetooth Dimming

**Driver:**  
 Constant Current 3000mA

**LED Integrated:**  
 Led module  
 Energy class A\*

4000/5000K, CRI>90, 90W, 50-60Hz

**PACKAGING**

Box sizes:

**Body**  
 Box 1: 163 × 58 × 70 cm | 0,66 m<sup>3</sup> | 53 Kg

**Head + Tail**  
 Box 2: 129 × 76 × 137 cm | 1,34 m<sup>3</sup> | 75 Kg

Weight: Gross - 128 Kg | Net - 23 Kg

**MATERIALS & COMPONENTS**

Oak & Birch Wood

Wood Veneer Diffuser


Nickel Metal Canopy:  
 34 × 11,5 × 5 cm - DIM0-10V  
 56 × 16 × 6 cm - BT & DALI


4 Steel Cables: 5 m drop



Transparent Electrical Cable 5 m drop

**FINISHES**

**WOOD VENEER**

 20 Ivory White

 22 Natural Beech




**REF.**

**PRICE**

KOI LS LED DIM0-10V	61.150 €
KOI LS LED DIMDALI	61.340 €
KOI LS LED DIMBT	61.440 €

**LIGHT SOURCE**

Class I 

120 - 277V: Dimmable 0-10V or DALI  
 220 - 240V: Bluetooth Dimming

**Drivers:**

2 Constant Current 3000mA

**LED Integrated:**

Led module  
 Energy class A\*

4000/5000K, CRI>90, 160W, 50-60Hz

**PACKAGING**

Box sizes:

Body

Box 1: 229 × 80 × 92 cm | 1,69 m<sup>3</sup> | 117 Kg

Head + Tail

Box 2: 166 × 107 × 188 cm | 3,34 m<sup>3</sup> | 148 Kg

Weight: Gross - 265 Kg | Net - 33 Kg

**MATERIALS & COMPONENTS**

Oak & Birch Wood

Wood Veneer Diffuser


Nickel Metal Canopy:  
 56 × 16 × 6 cm


4 Steel Cables: 5 m drop

Transparent Electrical Cable 5 m drop

**FINISHES**

**WOOD VENEER**

 20 Ivory White

 22 Natural Beech



# ANNEXES

---

# GENERAL SALES CONDITIONS

---

## **ORDERS**

All prices are valid till the edition of a new price-list. For discounts on these prices, please contact our sales office or the agent/distributor in your area.

Luziferlamps S.L. will issue a proforma invoice within two working days after receipt of the order. Please check this confirmation for accuracy. **If we don't hear from you within the next two business days, we will assume that the order has been approved and we will start the production.**

Once the order has been accepted, production time will be 3-5 weeks for catalogue models and 10-12 weeks for custom models. All products will continue to be owned by Luziferlamps S.L. until payment has been made in full.

## **ORDER CANCELLATION**

Luziferlamps S.L. will not accept item cancellation once an order has been put into production.

A cancellation fee of 30% of the net cost of the item will be charged in these cases.

## **CLAIMS**

In accordance with the conditions established by the carriers, all claims for breakage or loss must be reported within 48 hours of receipt of merchandise. Consequently, Luziferlamps S.L. has the right not to accept any claims after this 48 hour period. All claims must be submitted in writing and accompanied by digital photos.

The same shall apply for claims involving manufacturing defects, administrative processing errors, or any other claim. Please use our prepared ONLINE RECLAIM FORM.

If no claim is presented in the manner and within the time specified above, Luziferlamps S.L. has the right to reject it.



## **TRANSPORT**

Depending on the country, a minimum order amount is set for free shipment. If the order amount is below this minimum, freight charges will be added to the invoice.

Please refer to our commercial office for further clarifications.

## **RETURNS**

As all Lzf products are produced by order only, Luziferlamps S.L. will not accept any returns, the sales are final, non-cancellable and non-returnable.

---

## **GUARANTEE**

Products made by Luziferlamps S.L. are guaranteed for 24 months according to European law. This guarantee will not apply if the installation, maintenance or use of our product has not followed our recommendations.

Since wood is a natural material, a gradual change in tone may occur over time. Furthermore, if the lamps have been purchased at different times, there will be differences in colour and tone, particularly in light coloured veneers. Luziferlamps S.L. will not be held responsible for this.

Damages caused by insects, vermin, accidents, alterations, tampering, misuse, reasonable wear and tear or negligence are not covered by the guarantee.

Moisture and extreme temperature changes are prejudicial to the materials that make up your lamp; The guarantee will not apply if our lights have been installed where air-conditioning or ventilation ducts may focus air on to the fixture as this will damage the veneer finish. The guarantee does not apply to light bulbs that may or may not have been supplied at the time of purchase or after the sale.

**Please read all our instructions and recommendations carefully included in the instruction manual you receive with your lamps.**

Luziferlamps S.L. assumes no responsibility for labour costs in connection with the installation, removal or replacement of warranty products for any consequential or incidental damages. In the event customer submits a warranty claim of any kind to any products delivered, Luziferlamps S.L. shall replace such defective item with a substantially similar product (subject to availability). Provided that such warranty claim is made in writing with digital photo support by the customer to Luziferlamps S.L. within two years from the date of the applicable invoice and it does not involve a defect that could have been discovered at the time of inspection and acceptance by the customer.

Luziferlamps S.L. reserves the right to modify the size and/or finish of its models for product improvement purposes. Printed material is easily out dated. Please refer to our online technical details found on our web page [www.lzf-lamps.com](http://www.lzf-lamps.com), to make sure that you have the most up to date information on our products.

## **DEFENCE OF INTELLECTUAL PROPERTY**

The designs of the products appearing in the catalogues of Luziferlamps, S.L., and these catalogues themselves, are protected by the national and international Laws and Treaties on Intellectual and Industrial Property.

Any unauthorised use of them constitutes an infringement of the above-mentioned rules and a crime which can be punished in accordance with penal laws.

Consequently, it is strictly forbidden to manufacture, fix, reproduce, translate, distribute, publicly communicate, place at the disposal of the public and/or totally or partially transform these designs and/or the catalogues, in addition to any other act of exploitation in relation to them, without the prior written permission of the owners of these rights.

Luziferlamps S.L. holds the ownership of the rights to its trademarks. Their use is consequently totally forbidden, without the corresponding prior written permission of Luziferlamps S.L. Non-fulfilment of this obligation and the consequent infringement of the trademark rights shall likewise entail a civil and if appropriate a criminal prosecution of these infringements, in accordance with the national and international laws and treaties in force.

# AIR FREIGHT REINFORCEMENT













Consult price

	MODELS	FREIGHT BOX cm	Volume EXT. m <sup>3</sup>	Weight Kg	Net price
<b>A</b>	AGATHA / Small SUSPENSION	85 × 81 × 52	0,358	6,5	16 €
<b>C</b>	COSMOS / FLOOR Shade	88 × 84 × 45	0,332	6,2	15 €
	COSMOS / Foot FLOOR	60 × 56 × 166	0,558	8,5	19 €
	CUAD / Medium SUSPENSION	97 × 92 × 32	0,286	8,7	19 €
<b>E</b>	ESCAPE / Large SUSPENSION	75 × 71 × 67	0,357	6	15 €
<b>G</b>	GEA / Slim SUSPENSION	70 × 66 × 38	0,176	5,2	14 €
	GEA / Large SUSPENSION	88 × 84 × 45	0,332	6,2	15 €
<b>I</b>	I-CLUB / Large WALL	40 × 36 × 156	0,358	6,5	16 €
	I-CLUB / Slim SUSPENSION & WALL	187 × 47 × 31	0,272	8,5	18 €
<b>L</b>	LINK / Large SUSPENSION & FLOOR Shade	88 × 84 × 45	0,332	6,2	15 €
	LINK / Foot FLOOR	60 × 56 × 166	0,558	8,5	19 €
	LOLA / Medium TABLE	60 × 56 × 56	0,222	5,5	14 €
	LOLA / Large TABLE Shade & FLOOR Shade	75 × 71 × 47	0,250	5	13 €
	LOLA / Medium SUSPENSION	75 × 71 × 47	0,250	5	13 €
	LOLA / Large SUSPENSION	110 × 106 × 66	0,770	8	15 €
	LOLA / Foot FLOOR	60 × 56 × 166	0,558	8,5	19 €
<b>M</b>	MINIMIKADO / SUSPENSION	75 × 71 × 67	0,357	6	15 €
<b>N</b>	NEW WAVE / SUSPENSION	127 × 38 × 40	0,193	6,5	15 €
<b>O</b>	OH!-LINE / Medium SUSPENSION	77 × 77 × 16	0,095	4	Consult
	OH!-LINE / Large SUSPENSION	97 × 97 × 16	0,151	5	Consult
<b>P</b>	POD / Medium SUSPENSION	60 × 56 × 84	0,282	5,5	15 €
	POPPY / Small SUSPENSION	75 × 71 × 67	0,357	6	15 €
	POPPY / Medium SUSPENSION	85 × 81 × 81	0,558	7	17 €
<b>S</b>	SATURNIA / Small SUSPENSION	70 × 66 × 38	0,176	5,2	14 €
	SATURNIA / Medium SUSPENSION	117 × 114 × 50	0,667	27	55 €
	SPIRO / Small SUSPENSION	95 × 92 × 48	0,420	22	50 €
	SPIRO / Medium SUSPENSION	117 × 114 × 50	0,667	27	55 €
	STITCHES / Bamako SUSPENSION	75 × 61 × 67	0,357	7	15 €
	STITCHES / Tombuctú SUSPENSION	60 × 56 × 110	0,370	6,5	7 €
	SWIRL / Small SUSPENSION	70 × 66 × 38	0,176	5,2	14 €
	SWIRL / Large SUSPENSION	88 × 84 × 45	0,332	6,2	15 €
<b>T</b>	TOTEM 3, 4 / Electrical kit	187 × 47 × 31	0,272	8,5	18 €
	TOTEM 3, 4 / Shade POD Small SUSPENSION	60 × 56 × 66	0,222	6	14 €
	TOTEM 3, 4 / Shade POPPY Small SUSPENSION	75 × 71 × 55	0,293	6	7 €
	TOTEM 3, 4 / Shade POPPY Medium SUSPENSION	85 × 81 × 72	0,496	7	17 €
	TOTEM 4 / Shade POPPY Large SUSPENSION	110 × 107 × 87	1,024	11	21 €
<b>X</b>	X-CLUB / Medium SUSPENSION & CEILING	88 × 84 × 45	0,332	6,2	15 €



Wooden air freight reinforcement is available for any boxes over 51 × 51 × 32h cm in size.

# RECOMMENDED BULBS

Available for purchase

LED	MODELS	NET Price
 E27 12 W LED Globe DIM 	AGATHA / Small SUSPENSION AGATHA / Large SUSPENSION DOMO / SUSPENSION ESCAPE / SUSPENSION GEA / Small SUSPENSION LOLA / Large & Medium LUX LOLA / TABLE & FLOOR LINK / SUSPENSION & FLOOR LINK CHAIN / SUSPENSION MARUJA / SUSPENSION NEW WAVE / SUSPENSION NUT / SUSPENSION STITCHES / SUSPENSION SWIRL / SUSPENSION	4 €
 E27 11 W LED Spherical DIM 	AGATHA / Ball SUSPENSION CHOU / TABLE GEA / Large SUSPENSION ORBIT / WALL POD / SUSPENSION POPPY / SUSPENSION COSMOS / FLOOR	6,50 €
 E14 5,5 W LED Mini Globe DIM 	AIR / TABLE & WALL	5 €
 E27 7 W LED Mini Globe DIM 	MINIMIKADO / SUSPENSION	7 €
 G9 3 W LED DIM 	RAINDROP / SUSPENSION	9 €
 GX53 7 W LED Slim lamp NO DIM 	GEA / WALL GUIJARRO / WALL LOLA / WALL PLEG / WALL	17 €

Included

 GU10 3,7 W LED DIM 	ERIS / SUSPENSION & TABLE
---	---------------------------

# HOW OUR REFERENCES WORK

REFERENCE	MODEL NAME	TYPE	SIZE	METAL FINISHES		
<b>L E G E N D</b>		<b>S</b> Suspension <b>P</b> Floor <b>M</b> Table <b>A</b> Wall	<b>P</b> Small <b>M</b> Medium <b>G</b> Large <b>SL</b> Slim <b>LS</b> Life Size	<b>BK</b> Matt Black <b>IV</b> Matt Ivory <b>GD</b> Gold <b>NI</b> Matt Nickel		
	<b>BKNT TR S IV LED DIM0-10V 29</b>	<b>BKNT TR</b> Black Note Triplet	<b>S</b> Suspension		<b>IV</b> Matt Ivory	
	<b>LENS OV M GD LED 28</b>	<b>LENS OV</b> Lens Oval	<b>M</b> Table		<b>GD</b> Gold	
	<b>LOLA MG LX 20</b>	<b>LOLA</b> Lola	<b>M</b> Table	<b>G</b> Large		
	<b>SAT SM LED DALI 26</b>	<b>SAT</b> Saturnia	<b>S</b> Suspension	<b>M</b> Medium		
	<b>LENS CR A BK LED DIM0-10V 22</b>	<b>LENS CR</b> Lens Circular	<b>A</b> Wall		<b>BK</b> Matt Black	
	<b>SPRO SM WH LED DIMBT 34</b>	<b>SPRO</b> Spiro	<b>S</b> Suspension	<b>M</b> Medium		
	<b>SWRL SP 33</b>	<b>SWRL</b> Swirl	<b>S</b> Suspension	<b>P</b> Small		
	<b>THES P NI LED DIM 21</b>	<b>THES</b> Thesis	<b>P</b> Floor		<b>NI</b> Matt Nickel	

ACRYLIC FINISHES	MARBLE FINISHES	LED Dimming Options		WOOD COLOURS
<b>BK</b> Matt Black <b>WH</b> Matt White	<b>LX</b> Black Marquina	<b>LED</b> <b>LED DIM0-10V</b> <b>LED DALI</b> <b>LED DIMBT</b>	Dimmable Dimmable 0-10V system Dimmable Dali system Dimmable Bluetooth system	<b>20</b> Ivory White <b>21</b> Natural Cherry <b>22</b> Natural Beech <b>24</b> Yellow <b>25</b> Orange <b>26</b> Red <b>28</b> Blue <b>29</b> Grey <b>33</b> Pale Rose <b>34</b> Sea Blue
		<b>LED DIM0-10V</b>	Dimmable 0-10V system	<b>29</b> Grey
		<b>LED</b>	Dimmable	<b>28</b> Blue
	<b>LX</b> Black Marquina			<b>20</b> Ivory White
		<b>LED DALI</b>	Dimmable Dali system	<b>26</b> Red
		<b>LED DIM0-10V</b>	Dimmable 0-10V system	<b>22</b> Natural Beech
<b>WH</b> Matt White		<b>LED DIMBT</b>	Dimmable Bluetooth system	<b>34</b> Sea Blue
				<b>33</b> Pale Rose
		<b>LED</b>	Dimmable	<b>21</b> Natural Cherry




For too many years things have been simply black and white, but life is made up of many shades and we have been wanting to create a more generous array of skin colours for our lights for quite sometime. This year we have wanted to offer you the choice of not just picking your shade colour but also the colour of the metallic finish that accompanies it. Matt tones or coloured reflections in satin nickel finishes provide a whole new range of choice when selecting your lamp.

---


# METAL FINISHES

---

BK  
Matt Black



IV  
Matt Ivory



NI  
Matt Nickel



GD  
Gold



---

## EXTRA CABLE DROP

All standard cable drops are 2,5 meters. Longer cables can be requested from our sales department and are calculated by an extra per meter basis. Consult our sales team if you need extra cable drop.

---

# LIGHT BULBS

---

For E27, E14 (Edison screw), GX53 and G9 sockets light bulbs are not included, unless specified otherwise.

Use Led bulbs only. Light bulbs recommended in this tech book are consistent with the latest technologies available on the market, however, please note that due to the constant changing nature of the LED lighting industry, improved or revised alternatives may become available.

Please refer to our website for the latest lighting innovations and developments in these bulbs.

A complete bulb chart is available on page 147.

You can buy these bulbs directly from our company when you purchase your lamp if you wish.

## **DIMMING OPTIONS E27, E14, GX53 & G9**

DIM option: All of the sockets specified above can take dimmable light bulbs.

This means that for light bulb lamps it is not the control gear in the lamp that determines whether a fixture is dimmable or not, rather whether it has a dimmable bulb in it and whether the wall, hand or foot switch has a dimmer incorporated into it.

In table and floor versions, all versions have a dimming switch installed on the cable.

---

# CERTIFICATES & TESTING

---

## **ELECTRICAL TESTING**

All LZP fixtures are electrically tested for the EEC, the USA & Canada. If you are from another country that needs testing please inquire with our sales department. Additional costs may be incurred through having to do specific testing.

## **FIRE RETARDANCY**

Our Timberlite® veneer has been incandescent hot wire tested to 650°C.

Copies of all certificates can be requested from our sales department.

---

# INTEGRATED LED

---

Integrated LED means that the light source is hard wired into the lamp.

In our integrated LED fixtures the LEDs have been developed to function at 75% of their total capacity. This lengthens their life span considerably.

**DIM 0-10V:** All integrated LED lights come installed with 0-10V dimming drivers in them.

Whether you want dimming control or not depends on the way you wire the lamp.

If you have a 3 wire non dimming installation you must follow the non dimming wiring instructions.

If you have a 5 wire dimming installation then you must follow the dimming wiring instructions.

See the instruction sheet that comes with your lamp.

**DIMBT:** Bluetooth dimming is offered through the Casambi® bluetooth platform. The fixture comes prepared for bluetooth smartphone control and uses a 3 wire installation.

You must download the Casambi® App from the web and follow the set up instructions to link your phone to your lamp.

Casambi® also allows you to control the lamps from your conventional light switch and pulse switches.

**DALI:** Power lines and control lines can be laid together in the same cable. The wiring may be in series, in a star arrangement or in mixed form. DALI uses a system of distributed intelligence; multiple controllers communicate with intelligent ballasts. Each controller operates as a “master” and controls communication on the control line. Ballasts react only as “slaves” at the request of the “master”. Certain parameters are stored directly in the DALI unit.

---

# HOW WOOD CHANGES WITH DIFFERENT LIGHT SOURCE TEMPERATURE

---

21 Cherry  
Off



21 Cherry  
3.000K



21 Cherry  
4000k



21 Cherry  
2700k



---

All our lighting fixtures are pre-fitted with 3.000K light sources.

However, we would like to mention that certain wood veneers look better with different colour source temperatures.

Blue 28, Sea Blue 34, and Grey 29, are enhanced by a 4000k light source.

Ivory White 20, Natural Beech 22, Natural Cherry 21, work well with both 3000/4000k

Yellow 24, Orange 25, Red, 26 & Pale Rose 33 look better with 3.000K.

We understand that certain jobs require cool kelvin light sources, in this way you can choose the colour that best suits your lighting needs.

## • Recommended 4000K / Daylight for:

○ 20 Ivory White

● 21 Natural Cherry

● 28 Blue

● 29 Grey

● 22 Natural Beech

● 34 Sea Blue

---

# WOOD SHADE FINISHES

---

The effect of light passing through the wood veneer is the essence and hallmark of LZF. This important feature would not be possible without the application of our patented process in treating the raw natural veneer: The Timberlite® system.



This system, allows us to work with an extremely flexible, yet very resistant veneer, which can take on many shapes without breaking. Lastly, all our veneers are FSC certified.



---

**20.**  
Ivory White  
Off



**20.**  
Ivory White  
On




---

**21.**  
Cherry  
Off



**21.**  
Cherry  
On



---

**22.**  
Beech  
Off



**22.**  
Beech  
On




---

**24.**  
Yellow  
Off



**24.**  
Yellow  
On



---

25.  
Orange  
Off



25.  
Orange  
On



---

26.  
Red  
Off



26.  
Red  
On




---

28.  
Blue  
Off



28.  
Blue  
On



---

29.  
Grey  
Off



29.  
Grey  
On\*



\* 4.000K

---

33.  
Pale Rose  
Off



33.  
Pale Rose  
On




---

34.  
Sea Blue  
Off



34.  
Sea Blue  
On




---

Photographic reproductions should be only used as a guide.  
Please use the LZF wood veneer swatches for the real back lit effect of the illuminated veneers.

“





**WOOD** touched by **LIGHT**

[lzf-lamps.com](http://lzf-lamps.com)